

PRIORITIZATION OF CONSERVATION AREAS USING SPECIES  
DISTRIBUTION MODELING BASED ON CURRENT DATA OF BUTTERFLIES  
IN JOHOR

AQILAH BINTI AWG ABDUL RAHMAN

A thesis submitted in  
fulfillment of the requirement for the award of the  
Doctor of Philosophy

Faculty of Applied Sciences and Technology  
Universiti Tun Hussein Onn Malaysia

SEPTEMBER 2019

Verily, with every hardship comes ease. (94:6)



## ACKNOWLEDGEMENT

Alhamdulillah, all praise to ALLAH SWT for giving me the much-needed strength and perseverance to finish this study. This PhD journey have both tested and strengthen my faith in Him.

I would like to express the sincerest gratitude to my supervisor, Prof. Emeritus Datin Dr. Maryati Mohamed for the continuous support and motivation provided throughout my studies. I strive to have your level of love, patience and knowledge towards biodiversity and conservation. I will never forget our role as ‘khalifah’ to the wellbeing of this Earth.

Besides my advisor, I would also like to thank my husband for his support and understanding throughout my studies. Sacrifices were made to ensure my success, and I am forever grateful. I also could not have finished this study without the love and prayers of my family: Ummi, Baba, Tokma, Mak, Afifah, Ariff and Afiqah. To my dearest son, Fateh, everything I do, I’m doing it for you. I love you all so much.

I would like to extend my deepest appreciation to my fieldwork buddy, Jai Kemalok for his help in the field. This study would have taken longer without your help. The same goes to my colleagues from Centre of Research for Sustainable Uses of Natural Resources (COR-SUNR); Amirul Ashraf, Zulhusni, Noor Izwan, Adlil, Norradiah and Azmil for their assistance in data collection, analysis, thesis and paper publication.

Biggest thanks to Dr Phon Chooi Kim from FRIM for her help in identification of specimens. Not to forget, thank you to Johor National Parks Corporation and Johor Forestry Department for the permission to conduct field samplings in their area. Finally, I am grateful to the Ministry of Education for the Fundamental Research Grant Scheme (FRGS Vot 1564) that immensely helped in funding this study.

To everyone else who have directly and indirectly contributed in the success of this study, I humbly thank all of you. Only Allah SWT will be able to repay your kindness.

## ABSTRACT

Rapid disappearance of habitats and species justifies the need to study species range and distributions so that high-priority conservation areas can be identified. Species distribution modeling (SDM) is an approach that can overcome the time and budget constraints of protected area management. This research aims at providing an efficient method for stakeholders to develop conservation strategies using butterflies as environmental surrogates. The objectives are to (i) document butterfly diversity in Johor, (ii) map out their distribution using geographic information system (GIS), (iii) determine the best model with variables that affects the distribution of butterflies in Johor, (iv) predict the distribution in less sampled areas using SDM, and (v) determine strategies for prioritization of conservation areas based on the results obtained from objective (iv). Butterfly presence data were obtained from field samplings from ten sites throughout Johor, published literature, reports, and reference collections. A total of 2347 presence records comprising of 447 species were collated in Johor. This accounts for 42% of the overall diversity in Peninsular Malaysia. MaxEnt was then used to model and map the potential distribution of butterflies based on land cover, vegetation indices, land use, elevation, and bioclimatic layers as variables. Nine models were formulated and compared based on the area under curve (AUC) for receiver operating characteristic (ROC) values, percentage of habitat suitability, and variable complexity. Model 6 was chosen as the best model with distance to forest, temperature, precipitation, and distance to road being the highest contributing variables. Forest-dwelling butterflies consistently showed the best model performance. Based on the habitat suitability map generated, the high to low priority ranking of conservation clusters are as follows: Endau–Rompin–Labis forest complex, Gunung Ledang forest complex, Pulaui forest complex, Kluang forest reserve, and Maokil–Air Hitam–Bukit Inas forest complex. Implementation of MaxEnt in Malaysia can be improved through capacity building, fostering better communication between stakeholders and integration into site-based management plans.

## ABSTRAK

Kelenyapan habitat dan spesis yang pantas menjustifikasikan kepentingan mengkaji julat dan taburan spesis supaya kawasan pemuliharaan berkepentingan tinggi dapat dikenal pasti. Pemodelan taburan spesis (SDM) mampu mengatasi kekangan masa dan kewangan dalam pengurusan kawasan perlindungan. Kajian ini menyediakan kaedah yang cekap bagi membangunkan strategi pemuliharaan menggunakan kupu-kupu sebagai surogat persekitaran. Objektif kajian ialah (i) merekodkan kepelbagaian kupu-kupu di Johor, (ii) memeta taburan kupu-kupu menggunakan sistem maklumat geografi (GIS), (iii) menentukan model terbaik dengan pemboleh ubah yang menentukan taburan kupu-kupu di Johor, (iv) meramal taburan kupu-kupu di kawasan yang kurang disampel menggunakan SDM, dan (v) menentukan strategi mengutamakan kawasan pemuliharaan berdasarkan hasil dapatan daripada objektif (iv). Data kehadiran kupu-kupu diperolehi daripada kerja lapangan di 10 kawasan sekitar Johor, karya ilmiah, laporan, dan koleksi rujukan. Sebanyak 2347 rekod kehadiran 447 spesies telah dikumpulkan di Johor. Ini merangkumi 42% daripada kepelbagaian kupu-kupu di Semenanjung Malaysia. Taburan kupu-kupu dimodelkan menggunakan MaxEnt dengan pemboleh ubah seperti litupan tanah, indeks tumbuhan, guna tanah, ketinggian, dan lapisan bioiklim. Sembilan model dibandingkan berdasarkan nilai ukur luas lengkung (AUC) ciri kendalian penerima (ROC), peratusan kesesuaian habitat, dan kerumitan pemboleh ubah. Model 6 ialah model terbaik dengan sumbangan terbanyak daripada pemboleh ubah jarak dari hutan, suhu, titisan, dan jarak dari jalan. Kupu-kupu hutan menunjukkan prestasi model yang terbaik dan konsisten. Berdasarkan janaan peta kesesuaian habitat, susunan kelompok pemuliharaan berkepentingan tinggi adalah seperti berikut: kompleks hutan Endau–Rompin–Labis, kompleks hutan Gunung Ledang, kompleks hutan Pulau, Hutan Simpan Kluang, dan kompleks hutan Maokil–Air Hitam–Bukit Inas. Penggunaan MaxEnt di Malaysia boleh dipertingkatkan dengan pembinaan kapasiti, komunikasi berkesan antara pemegang taruh, dan intergrasi ke dalam pelan perancangan setempat.

## TABLE OF CONTENTS

<b>DECLARATION</b>	<b>ii</b>
<b>ACKNOWLEDGEMENT</b>	<b>iv</b>
<b>ABSTRACT</b>	<b>v</b>
<b>ABSTRAK</b>	<b>vi</b>
<b>TABLE OF CONTENTS</b>	<b>vii</b>
<b>LIST OF TABLES</b>	<b>xi</b>
<b>LIST OF FIGURES</b>	<b>xiv</b>
<b>LIST OF SYMBOLS AND ABBREVIATIONS</b>	<b>xx</b>
<b>LIST OF APPENDICES</b>	<b>xxiv</b>
<b>LIST OF PUBLICATIONS</b>	<b>xxv</b>
<b>LIST OF ACHIEVEMENTS</b>	<b>xxviii</b>
<b>CHAPTER 1 GENERAL INTRODUCTION</b>	<b>1</b>
1.1 Introduction	1
1.2 Background and context	2
1.3 Research problem	3
1.4 Objectives of the study	5
1.5 Research workflow	5
1.6 Significance of research	6
1.7 Scope and limitations of study	7
1.8 Overview of thesis	7

<b>CHAPTER 2 LITERATURE REVIEW</b>	<b>9</b>
2.1 Conservation management in perspective	9
2.1.1 Global Conservation Management Pattern	10
2.1.2 Conservation Management in Malaysia	12
2.1.3 Management of protected area in Johor	14
2.2 Integrating Geographic Information Systems (GIS) in conservation management	17
2.3 Species Distribution Modeling (SDM)	19
2.3.1 MaxEnt and other SDM approaches	20
2.3.2 Biasness and accuracy evaluation in SDM	22
2.4 The Malaysian butterfly fauna	25
2.4.1 Butterfly fauna of Johor	26
2.5 Bioindicator species and biomonitoring	27
2.5.1 Bioindicator criteria	29
2.5.2 Butterflies as indicator to environmental changes	30
2.6 Summary	36
<b>CHAPTER 3 SPATIAL DISTRIBUTION OF BUTTERFLIES IN JOHOR</b>	<b>37</b>
3.1 Introduction	37
3.2 Methodology	38
3.2.1 Compilation of previous field records	38
3.2.2 Study site	38
3.2.3 Butterfly Sampling	52
3.2.4 Butterfly identification and storage	53
3.2.5 Data analysis	56
3.3 Results and discussion	58
3.3.1 Presence data from previously published studies	59
3.3.2 Overall composition of butterflies in sampling sites	59
3.3.3 Species composition of butterflies by sampling site	66

3.3.4	Comparison of species composition	84
3.3.5	Species Accumulation Curve	86
3.3.6	Kruskal–Wallis test	90
3.3.7	Conservation status of butterflies collected in study sites	90
3.4	Conclusion	91

## **CHAPTER 4 MODELING THE POTENTIAL DISTRIBUTION OF BUTTERFLIES IN JOHOR**

4.1	Introduction	92
4.2	Inputs and methods	93
4.2.1	Species presence data input	93
4.2.2	Environmental and predictor variables	95
4.2.3	Maximum Entropy (MaxEnt) software package	102
4.2.4	Identifying highly correlated variables	106
4.2.5	MaxEnt output analysis	106
4.2.6	Model establishment	108
4.3	Result and discussion	109
4.3.1	Butterfly presence points	109
4.3.2	Predictor variable ranking	112
4.3.3	Model development	114
4.3.4	Threshold-independent evaluation	117
4.3.5	Habitat suitability map	120
4.3.6	Analysis of variable contribution	126
4.4	Conclusion	130

## **CHAPTER 5 DISCUSSION**

5.1	Present scenario: Issues in Conservation	131
5.1.1	Rapid Development in Johor	131
5.1.2	Limited resources	135
5.2	Butterfly as potential indicator in prioritizing protected area	136
5.3	Interdisciplinary approach to conservation management: Biodiversity modeling	138



5.4	Future use of biodiversity in management	140
<b>CHAPTER 6 CONCLUSION AND RECOMMENDATION</b>		<b>142</b>
6.1	Conclusion	142
6.2	Recommendations	143
6.2.1	Capacity building	144
6.2.2	Streamlined communication between government and stakeholders	144
6.2.3	Integration of MaxEnt capacity building in the site-based management plan	145
<b>REFERENCES</b>		<b>146</b>
<b>VITA</b>		<b>217</b>



## LIST OF TABLES

3.1	Schedule for butterfly collection at each sampling site	53
3.2	A summary of number of species recorded in each locality	60
3.3	Summary of species richness estimator values for all ten sampling sites. Each value was then computed from 1000 random resampling with replacement	88
3.4	List of protected species recorded in this study	90
4.1	List of written publication providing data on butterfly distribution	94
4.2	List of institution visited to obtain data on butterfly distribution	94
4.3	Reclassification of the 17 land cover categories into five broader categories	97
4.4	Landsat 8 OLI and TIRS band classification. Highlighted bands were used to derive the NDVI layer used in this study	99
4.5	The 19 bioclimatic variables as obtained from Worldclim Version 2	102
4.6	MaxEnt models applied on species distribution modeling of butterflies in Johor	108
4.7	Number of butterfly distribution records obtained from various sources used in this study.	110
4.8	List of species with their respective number of presence points. Only species with presence	

	points of > 10 is selected for modeling purposes. These species were identified as either forest dwellers or generalist based on literature by Kirton (2018) and Corbet & Pendlebury (1992).	111
4.9	The predictor variables used in this study with their respective AUC values. The AUC values were obtained from independent training run. Variables were ranked from the highest to lowest AUC value. Uncorrelated variables that were used in this study are highlighted in bold.	113
4.10	Predictor variables ranked based on their AUC value and sorted into categories. Uncorrelated variables in bold were used in the final analysis.	114
4.11	Model 1 - Variables from topography category	114
4.12	Model 2 - Variables from land cover category	115
4.13	Model 3 - Variables from land use category	115
4.14	Model 4 - Variables from proximity layer category	115
4.15	Model 5 - Variables from bioclimatic layer category	115
4.16	Model 6 - Variables with top 5 AUC value as obtained from training data	115
4.17	Model 7 - Variables with top 10 AUC value as obtained from training data	116
4.18	Model 8 - Variables from each category with highest AUC value	116
4.19	Model 9 - All uncorrelated variables	116
4.20	Summary of AUC values for all models	119
4.21	Percentage of habitat suitability for forest and generalist butterfly species for Model 4 – 9	123

4.22	Percentage contribution of proximity layers on the distribution model of forest and generalist species in Model 4	126
4.23	Percentage contribution bioclimatic layers on the distribution model of forest and generalist species in Model 5	126
4.24	Percentage contribution of top five predictor variables on the distribution model of forest and generalist species in Model 6	127
4.25	Percentage contribution of top ten predictor variables on distribution model of forest and generalist species in Model 7	127
4.26	Percentage contribution of predictor variables with the highest AUC value per category on the distribution model of forest and generalist species in Model 8	127
4.27	Percentage contribution of all uncorrelated predictor variables with the highest AUC value per category on the distribution model of forest and generalist species in Model 9	128

## LIST OF FIGURES

1.1	Summary of research workflow	6
2.1	Forested areas in Johor are fragmented with majority of it being in the Southern Region. Connectivity between the fragmented forest is important to provide a suitable habitat for large dwelling mammals. Green polygons represent forested areas in Johor (Source: JPNJ 2015).	16
3.1	Map of sampling sites within their forest reserve boundaries. The black dots are sampling sites within the respective forest reserve or national park. (Map source: QGISDevelopment Team, 2019)	39
3.2	An overview of Endau Rompin National Park with location pin-pointing Gunung Janing Barat (JB) and Upeh Guling Waterfall (UG). Inset shows the location of the site in Johor (Refer Figure 3.1)	40
3.3	Naturally formed whirlpools in Upeh Guling waterfall	42
3.4	An overview of Gunung Ledang National Park with location pin-pointing the sampling area of Gunung Ledang (GL). Inset shows the location of the site in Johor (Refer Figure 3.1)	43
3.5	An overview of Kluang Forest Reserve with location pin-pointing the sampling area of Gunung Belumut Amenity Forest (GB). Inset	

	shows the location of the site in Johor (Refer Figure 3.1)	44
3.6	An overview of Labis Forest Reserve with location pin-pointing the sampling area of Sungai Bantang (SB). Inset shows the location of the site in Johor (Refer Figure 3.1)	45
3.7	An overview of Gunung Pulai Forest Reserve with location pin-pointing the sampling area of Gunung Pulai Amenity Forest (PL). Inset shows the location of the site (Refer Figure 3.1)	46
3.8	An overview of Pantl Forest Reserve with location pin-pointing the sampling area of Gunung Pantl Amenity Forest (PT). Inset shows the location of the site in Johor (Refer Figure 3.1)	47
3.9	An overview of Soga Forest Reserve location pin-pointing the sampling area of Bukit Soga Perdana Amenity Forest (SB). Inset shows the location of the site in Johor (Refer Figure 3.1)	48
3.10	An overview of Gunung Arong Forest Reserve with location pin-pointing the sampling area of Gunung Arong Amenity Forest (GA). Inset shows the location of the site in Johor (Refer Figure 3.1)	49
3.11	An overview of Labis Forest Reserve and Endau Rompin National Park with location pin-pointing the sampling area of Taka Melor Amenity Forest (TM). Inset shows the location of the site in Johor (Refer Figure 3.1)	50
3.12	Trail starting point in Taka Melor Amenity Forest. The trail leads to the river and moves upstream towards the waterfall	51
3.13	Waterfall at the end of the trail in Taka Melor Amenity Forest	51

3.14	Transect design	52
3.15	Butterflies collected in the field are stored in a glassine envelope and labelled	54
3.16	Samples are brought to the lab, spread, pinned and dried in an oven.	54
3.17	Dried specimens are stored in an insect box.	55
3.18	Total number individuals according to family	60
3.19	Total number of species collected according to families	62
3.20	Proportion of the butterfly species diversity according to family in all sampled sites	63
3.21	Spatial distribution map of butterflies in all sampling site. The pie chart represents family ratio recorded at each site. The most abundant butterfly species are also pictured. Black dots are sites chosen for this study. The white dots are sites with previous inventory records. (A: Bukit Reban Kambing, B: Gunung Ledang, C: TNJER Selai, D: TNJER Peta E: Ulu Sedili)	64
3.22	A rank – abundance curve of all the species collected from all ten sampling sites	65
3.23	Species richness and abundance in Gunung Janing Barat, Endau Rompin National Park according to family	67
3.24	Rank abundance curve of butterflies in Gunung Janing Barat, Endau Rompin National Park (Peta)	67
3.25	Species richness and abundance in Upeh Guling Waterfall, Endau Rompin National Park according to family	69
3.26	Rank abundance curve of butterflies in Upeh Guling Waterfall, Endau Rompin National Park (Peta)	69

3.27	Species richness and abundance in Gunung Ledang National Park according to family	70
3.28	Rank abundance curve of butterflies in Gunung Ledang National Park	71
3.29	Species richness and abundance in Gunung Belumut Amenity Forest according to family	72
3.30	Rank abundance curve of butterflies in Gunung Belumut Amenity Forest	73
3.31	Species richness and abundance in Sungai Bantang Amenity Forest, Labis Forest Reserve according to family	74
3.32	Rank abundance curve of butterflies in Sungai Bantang Amenity Forest, Labis Forest Reserve	75
3.33	Species richness and abundance in Gunung Pulai Amenity Forest according to family	76
3.34	Rank abundance curve of butterflies in Gunung Pulai Amenity Forest	76
3.35	Species richness and abundance in Gunung Panti Amenity Forest according to family	78
3.36	Rank abundance curve of butterflies in Gunung Panti Amenity Forest	78
3.37	Species richness and abundance in Bukit Soga Perdana Amenity Forest according to family	79
3.38	Rank abundance curve of butterflies in Bukit Soga Perdana Amenity Forest	80
3.39	Species richness and abundance in Gunung Arong Amenity Forest according to family	81
3.40	Rank abundance curve of butterflies in Gunung Arong Amenity Forest	82
3.41	Species richness and abundance in Taka Melor Amenity Forest, Labis Forest Reserve according to family	83
3.42	Rank abundance curve of butterflies in Taka Melor Amenity Forest, Labis Forest Reserve	83



3.43	Dendrogram of cluster analysis using the unweighted pair group method (UPGMA) and Jaccard similarity index using presence-absence data of butterflies from ten sampling sites.	85
3.44	The dendrogram as Figure 3.43 with y-axis in log value of the Jaccard's coefficient	85
3.45	Species accumulation curves of sampling site	87
3.46	A sample-based rarefaction curve shows the species accumulation for all the ten sites.	89
4.1	Land cover layer obtained from MODIS	96
4.2	MODIS Land cover layer reclassified into five classes, i.e. water bodies, forest, natural non-forest, cropland and urban areas	97
4.3	EVI layer obtained from MODIS	98
4.4	NDVI layer derived from Landsat8 data	99
4.5	Land use data obtained from PLANMalaysia. The data was reclassified to show forest (dark green), plantation (light green) and others (white).	100
4.6	DEM obtained from USGS Earth Explorer	101
4.7	The user interface of MaxEnt software used in modeling species distribution	104
4.8	The basic setting interface of MaxEnt	105
4.9	The distribution of butterflies with >10 presence points in Johor based on fieldwork, written documents and reference collection dated from 1981 – 2018. The black dots show geo-referenced localities that will be used in modeling their distribution (n = 479)	112
4.10	Comparison of the AUC value between the nine models for both forest butterfly species and generalist butterfly species	118

4.11	A sample of raw prediction image generated by MaxEnt	120
4.12	Reclassified species distribution map of Model 4 for forest species (left) and generalist species (right).	121
4.13	Reclassified species distribution map of Model 5 for forest species (left) and generalist species (right).	121
4.14	Reclassified species distribution map of Model 6 for forest species (left) and generalist species (right).	121
4.15	Reclassified species distribution map of Model 7 for forest species (left) and generalist species (right).	122
4.16	Reclassified species distribution map of Model 8 for forest species (left) and generalist species (right).	122
4.17	Reclassified species distribution map of Model 9 for forest species (left) and generalist species (right).	122
5.1	Johor Land Use Map obtained from Johor Structural Development Plan 2030. Dark green areas are plantations and forest reserves that cannot be developed. Lighter green and red are land areas that will be developed.	134
5.2	Clusters of forest patches in Johor with potentially high conservation priority.	137
5.3	A huge patch of forest in West Johor were not highlighted by the model.	140

## LIST OF SYMBOLS AND ABBREVIATIONS

$H'$	-	Shannon Index of Diversity
$p_i$	-	Proportion of individuals in a species
$s$	-	Number of species
$E_H$	-	Evenness Index
$J$	-	Jaccard Similarity Index
$C$	-	Number of overlapping species
$Pr(x)$	-	Probability of $x$
$z$	-	Vector of environmental variables
$r$	-	Pearson correlation coefficient
1MBEON	-	1Malaysia Biodiversity Enforcement Operation Network
a.s.l	-	Above sea level
AAGR	-	Annual Average Growth Rate
AMNH	-	American Museum of Natural History
ATM	-	Angkatan Tentera Malaysia (Malaysian Armed Forces)
AUC	-	Area Under Curve
BRT	-	Boosted Regression Tree
BS	-	Bukit Soga
CBD	-	Convention on Biological Diversity
CFS	-	Central Forest Spine
CFSMP	-	Central Forest Spine Master Plan
CIS-UKM	-	Center for Insect Systematics Universiti Kebangsaan Malaysia
DEM	-	Digital Elevation Model
DWNP	-	Department of Wildlife and National Parks
ENFA	-	Ecological Niche Factor Analysis

ENM	-	Environmental Niche Model
EPU	-	Economic Planning Unit
ESA	-	Endangered Species Act
EVI	-	Enhanced Vegetation Index
FAO	-	Food and Agriculture Organizations of the United Nations
FRIM	-	Forest Research Institute of Malaysia
GA	-	Gunung Arong
GAM	-	Generalized Additive Models
GB	-	Gunung Belumut
GBIF	-	Global Biodiversity Information Facility
GDP	-	Gross Domestic Product
GEF	-	Global Environment Facility
GIS	-	Geographic Information System
GL	-	Gunung Ledang
GLM	-	Generalized Linear Models
IBS	-	Industrialized Building System
IC-CFS	-	Improving Connectivity in the Central Forest Spine
JB	-	Gunung Janing Barat
JNPC	-	Johor National Parks Corporation
JPNJ	-	Johor State Forestry Department
JPSM	-	Peninsular Malaysia Forestry Department
KATS	-	Ministry of Water, Land and Natural Resources
LSA	-	Landscape Species Approach
MESTECC	-	Ministry of Energy, Science, Technology, Environment and Climate Change
METT	-	Management Effectiveness Tracking Tool
MNS	-	Malaysian Nature Society
MODIS	-	Moderate Resolution Imaging Spectroradiometer
NASA	-	National Aeronautics and Space Administration
NDVI	-	Normalized Difference Vegetation Index
NEP	-	National Environment Policy
NFA	-	National Forestry Act
NFP	-	National Forestry Policy

NGO	-	Non-Government Organizations
NIPAP	-	National Integrated Protected Areas Programme
NOAA	-	National Oceanic Atmospheric Administration
NPBD	-	National Policy on Biological Diversity
NRE	-	Ministry of Natural Resource and Environment
OLI	-	Operational Land Imager
PA	-	Protected Area
PAST	-	Paleontological Statistics software
PFR	-	Permanent Forest Reserve
PL	-	Gunung Pulai
PL	-	Primary Linkages for Central Forest Spine
PLANMalaysia	-	Federal Department of Town and Country Planning
PPPs	-	Policies, plans and programs
PT	-	Gunung Pantl
REDD	-	UN Collaborative Program on Reducing Emissions from Deforestation and Forest Degradation in Developing Countries
ROC	-	Receiver Operating Characteristics
RS	-	Remote Sensing
RSNJ	-	Johor Structural Development Plan
SB	-	Sungai Bantang
SDM	-	Species Distribution Modelling
SL	-	Secondary Linkages for Central Forest Spine
SRTM	-	Shuttle Radar Topography Mission
TIRS	-	Thermal Infrared Sensor
TM	-	Taka Melor
TNJR	-	Taman Negara Johor Endau Rompin
UG	-	Upeh Guling Waterfall
UN	-	United Nations
UNDP	-	United Nations Development Programme
UNEP	-	United Nations Environment Programme
UNFCCC	-	United Nations Framework Convention on Climate Change
USGS	-	United States Geological Survey

WCS	-	Wildlife Conservation Society
WINGS	-	Winning Investigative Network for Great Science
WWF	-	World Wildlife Fund for Nature



## LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	List of georeferenced checkpoints for each locality	178
B	Checklist of butterfly species recorded in Johor from 1987 to 2017.	179
C	Checklist of butterflies recorded from field sampling done between December 2016 to October 2018 for this study. Taxonomic classification used on this study followed the work of L. Kirton (2018).	195
D	Photographs of some butterflies collected in the field	206
E	Comparison of the sensitivity and specificity analysis between (a) forest species and (b) generalist species of butterflies by Model 1. to 9	208

## LIST OF PUBLICATIONS

- (i) **Aqilah Awg Abdul Rahman**, Maryati Mohamed, Norradiah Ismail, Noor Izwan Anas (2018). “A Review of Distribution and Diversity of Butterfly (Lepidoptera: Rhopalocera) Fauna in Johor, Malaysia.” Serangga. Vol 23, No. 1, pp. 12 – 23 (**ISI Web of Science**)
- (ii) **Aqilah Awg Abdul Rahman**, Maryati Mohamed, Alona Cuevas Linatoc (2018). “Butterfly (Lepidoptera: Rhopalocera) diversity in Bukit Soga, the green lung of Batu Pahat, Malaysia” AIP Conference Proceedings Vol 2002, No. 020005 (**SCOPUS**)
- (iii) **Aqilah Awg Abdul Rahman**, Maryati Mohamed (2019). “Checklist of Butterflies (Lepidoptera: Papilionoidea) of Sg. Bantang, Labis Forest Reserve, Johor”. IOP Conference Series: Earth and Environmental Science. Vol 269 No. 012042 (**SCOPUS**)
- (iv) **Aqilah AA Rahman**, Maryati Mohamed, Lili Tokiman, Mohd Saman Mohd Sanget (2019) “Species Distribution Modeling to Assist Biodiversity and Conservation Management in Malaysia”. IOP Conference Series: Earth and Environmental Science. Vol 269. No. 012041 (**SCOPUS**)
- (v) Jai Kemalok, Maryati Mohamed, **Aqilah AA Rahman**, Nurul Ashikin Ismail (2019). “Biodiversity across boundary: Ethnoentomology among the Jakun of Kampung Peta, Mersing and the Malay, Chinese and Indian of Kahang, Kluang, Johor”. IOP Conference Series: Earth and Environmental Science. Vol. 269. No. 012024 (**SCOPUS**)
- (vi) **Aqilah Awg Abdul Rahman**, Maryati Mohamed, Mohd Syahrir Azrin Salleh (2019) “Diversity and Species Composition of Butterflies (Lepidoptera: Papilionoidea) in Taka Melor Amenity Forest, Labis Forest Reserve, Segamat, Johor”. Serangga (in press).



## REFERENCES

- Abd Ghani, M. (2012). *Assessing the Conservation Value of Protected Areas of Sabah in Relation to The Diversity of Butterflies*. Universiti Malaysia Sabah: Master's Thesis
- Abdul Aziz, M. A. A. (2018). *Diversity, Species Composition And Distribution Of Odonates (Odonata) In Johor , Peninsular Malaysia*. Universiti Tun Hussein Onn Malaysia: Master's Thesis
- Abdul Hamid, N. H., Asari, N., Jusoh, N. Z., Ismail, N., Maula, M. F., & Zulkifly, C. M. (2014). Notes on Orchids Species in Gunung Ledang Johor National Park. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 55–69.
- Abdullah, F., Shamsulaman, K., & Sina, I. (2012). Beetle Fauna of Gunung Belumut, Kluang, Johor. In A. R. Hj. Abd. Rahim, Y. Mahmood, M. N. Abu Hassan, M. Abdullah, & A. Latiff (Eds.), *Hutan Simpan Gunung Belumut, Johor: Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian Biologi*. Kuala Lumpur: Jabatan Perhutanan Semenanjung Malaysia. pp. 175 - 188.
- Abu Zarim, A. S., & Ahmad, A. (2014). Checklist of Butterfly Fauna At Kuala Lompat, Krau Wildlife Reserve, Pahang, Malaysia. *Journal of Wildlife and Parks*, 28(1), pp. 63–72.
- Adrus, M., Mohd Azhar, M. I., Sidq Ramji, M. F., Mat Daud, M. H. R., Amran, M. F., Mat Yasin, S., & Abdullah, M. T. (2014). Rapid Assessment of Vertebrate Fauna in Gunung Ledang National Park , Johor. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 93–108.

- Aduse-poku, K., Molleman, F., Oduro, W., Oppong, S. K., Lohman, D. J., & Etienne, R. S. (2017). Relative contribution of neutral and deterministic processes in shaping fruit-feeding butterfly assemblages in Afrotropical forests. *Ecology and Evolution*, 8(1), pp. 296-308.
- Ahmad, M., Bodlah, I., Mehmood, K., Aslam Sheikh, U. A., & Aziz, M. A. (2015). Pollination and foraging potential of European Bumblebee, *Bombus terrestris* (Hymenoptera: Apidae) on tomato crop under greenhouse system. *Pakistan Journal of Zoology*, 47(5), pp. 1279–1285.
- Aihara, Y., Hosaka, T., Yasuda, M., Hashim, M., & Numata, S. (2016). Mammalian Wildlife tourism in South-East Asian tropical rainforests: The case of Endau Rompin National Park, Malaysia. *Journal of Tropical Forest Science*, 28(2), 167–181.
- Al Muqarrabun, L. M. R., Ahmat, N., Aris, S. R. S., Shamsulrijal, N., Baharum, S. N., Ahmad, R., Takayama, H. (2014). A new sesquiterpenoid from *Scaphium macropodium* (Miq.) Beumee. *Natural Product Research*. 28(9). pp. 597-605.
- Anderson, R. P., & Gonzalez, I. (2011). Species-specific tuning increases robustness to sampling bias in models of species distributions: An implementation with Maxent. *Ecological Modelling*, 222(15), pp. 2796–2811.
- Ashfaq, M., & Hebert, P. D. N. (2016). DNA barcodes for bio-surveillance: regulated and economically important arthropod plant pests. *Genome*, 59(11), pp. 933–945.
- Asyraf Subri, A. W., Md Yusof, N. N., Jaafar, S. H., Lorin, F., & Nasir, N. S. (2014). A Survey of Non-Volant Small Mammals Inhabiting Gunung Ledang Johor National Park at Two Different Elevations. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 122–127.
- Awg Abdul Rahman, A., Maryati, M., & Ismail, N. (2016). Checklist of Butterfly Fauna (Lepidoptera: Rhopalocera) at Ulu Sedili Besar Forest Reserve, Johor, Malaysia. *Seminar Warisan Johor 2017*. Iskandar Puteri: Perbadanan Taman Negara Johor. (in press).
- Awg Abdul Rahman, A., Mohamed, M., Ismail, N., & Anas, N. I. (2018). A review of Distribution and Diversity of Butterfly (Lepidoptera: Rhopalocera) Fauna in Johor, Malaysia. *Serangga*, 23(1), pp. 12–23.

- Bai, D., Chen, P., Atzeni, L., Cering, L., Li, Q., & Shi, K. (2018). Assessment of habitat suitability of the snow leopard (*Panthera uncia*) in Qomolangma National Nature Reserve based on MaxEnt modeling. *Zoological Research*, 39(6), pp. 373–386.
- Baker, N. (2016a). Blue-headed Forest Skink *Sphenomorphus cyanolaemus* at Sungai Bantang, Johor, Peninsular Malaysia. *Southeast Asia Vertebrate Records*, 11, pp. 11.
- Baker, N. (2016b). Five species of gliding lizard *Draco* spp. at Gunung Pulai, Johor, Peninsular Malaysia. *Southeast Asia Vertebrate Records*, 11, pp. 110–112.
- Baker, N. (2016c). Large Black Flying Squirrel *Aeromys tephromelas* on *Calophyllum* sp. at Gunung Arong, Johor, Peninsular Malaysia. *Southeast Asia Vertebrate Records*, 3, pp. 44–45.
- Balducci, M. G., Niet, T. Van Der, & Johnson, S. D. (2019). Butterfly pollination of *Bonatea cassidea* (Orchidaceae): Solving a puzzle from the Darwin era. *South African Journal of Botany*, 123(1), pp. 308–316.
- Barlow, H. S. (1985). The Malayan Nature Society / Star Endau-Rompin Expedition. *Journal of the Malaysian Branch of the Royal Asiatic Society*, 58(2), pp. 135–142.
- Barve, N., Barve, V., Jiménez-Valverde, A., Lira-Noriega, A., Maher, S. P., Peterson, A. T., Villalobos, F. (2011). The crucial role of the accessible area in ecological niche modeling and species distribution modeling. *Ecological Modelling*, 222(11), pp. 1810–1819.
- Basset, Y., Barrios, H., Ramirez, J. A., Lopez, Y., Coronado, J., Perez, F., ... Leponce, M. (2016). Contrasting the distribution of butterflies and termites in plantations and tropical forests. *Biodiversity and Conservation*, 26(1), pp. 151–176.
- Beale, C., & Lennon J. (2012). Incorporating uncertainty in predictive species distribution modelling. *Philosophical Transactions of the Royal Society B*, 367, pp. 247 - 258.
- Beaumont, L. J., Hughes, L., & Poulsen, M. (2005). Predicting species distributions : use of climatic parameters in BIOCLIM and its impact on predictions of species ' current and future distributions. *Ecological Modelling*, 186(1), pp. 250–269.

- Bennett, J. R., Maloney, R. F., Steeves, T. E., Brazill-boast, J., Possingham, H. P., & Seddon, P. J. (2017). Spending limited resources on de-extinction could lead to net biodiversity loss. *Nature Ecology & Evolution*, 1(4), pp. 0053.
- Bennett, N. J., & Dearden, P. (2014). Why local people do not support conservation: Community perceptions of marine protected area livelihood impacts, governance and management in Thailand. *Marine Policy*, 44(1), pp. 107–116.
- Bernama. (2018, July 29). Government Mulls Amending Wildlife Conservation Act 2010. *New Straits Times*. Retrieved from <https://www.nst.com.my/>
- Betin, T. N. (2006). *Assessing cumulative watershed effects by zig-zag pebble count method*. Universiti Teknologi Malaysia: Master's Thesis
- Bonney, R., Phillips, T. B., Ballard, H. L., & Enck, J. W. (2015). Can citizen science enhance public understanding of science? *Public Understanding of Science*, 25(1), pp. 2–16.
- Booth, T. H., Nix, H. A., Busby, J. R., & Hutchinson, M. F. (2014). Bioclim: The first species distribution modelling package, its early applications and relevance to most current MaxEnt studies. *Diversity and Distributions*, 20(1), pp. 1–9.
- Boria, R. A., Olson, L. E., Goodman, S. M., & Anderson, R. P. (2014). Spatial filtering to reduce sampling bias can improve the performance of ecological niche models. *Ecological Modelling*, 275, pp. 73–77.
- Bradie, J., & Leung, B. (2016). A quantitative synthesis of the importance of variables used in MaxEnt species distribution models. *Journal of Biogeography*, 44(6), pp. 1344–1341.
- Braunisch, V., Coppes, J., Arlettaz, R., Suchant, R., Schmid, H., & Bollmann, K. (2013). Selecting from correlated climate variables: A major source of uncertainty for predicting species distributions under climate change. *Ecography*, 36, pp. 1–13.
- Busby, J. R. (1986). *Bioclimatic prediction system (BIOCLIM) user's manual version 2.0*. Canberra: Australian Biological Resources Study.
- Butchart, S. H. M., Walpole, M., Collen, B., Van Strien, A., Scharlemann, J. P. W., Almond, R. E. A., ... Watson, R. (2010). Global biodiversity: Indicators of recent declines. *Science*, 328(5982), pp. 1164–1168.
- Cambui, E. C. B., de Vasconcelos, R. N., Mariano-Neto, E., Viana, B. F., & Cardoso, M. Z. (2017). Positive forestry: The effect of rubber tree plantations on fruit

- feeding butterfly assemblages in the Brazilian Atlantic forest. *Forest Ecology and Management*, 397(1), pp. 150–156.
- Cane, J. H. (2002). Pollinating Bees (Hymenoptera: Apiformes) of U.S. Alfalfa Compared for Rates of Pod and Seed Set. *Journal of Economic Entomology*, 95(1), pp. 22–27.
- Canfield, M. R., & Pierce, N. E. (2010). Facultative Mimicry? The Evolutionary Significance of Seasonal Forms in Several Indo-Australian Butterflies in the Family Pieridae. *Tropical Lepidoptera Research*, 20(1), pp. 1–7.
- Carpenter, G., Gillison, A. N., & Winter, J. (1993). Domain - a Flexible Modeling Procedure for Mapping Potential Distributions of Plants and Animals. *Biodiversity and Conservation*, 2(6), pp. 667–680.
- Chan, K. O., Grismer, L. L., Matsui, M., Nishikawa, K., Wood, P. L., Grismer, J. L., ... Ahmad, N. (2010). Herpetofauna of Gunung Panti Forest Reserve, Johor, Peninsular Malaysia. *Tropical Life Sciences Research*, 21(1), pp. 71–82.
- Chapman, D. S., Makra, L., Albertini, R., Bonini, M., Páldy, A., Rodinkova, V., ... Bullock, J. M. (2016). Modelling the introduction and spread of non-native species: international trade and climate change drive ragweed invasion. *Global Change Biology*, 22(9), pp. 3067–3079.
- Chautá-Mellizo, A., Campbell, S. A., Bonilla, M. A., Thaler, J. S., & Poveda, K. (2012). Effects of natural and artificial pollination on fruit and offspring quality. *Basic and Applied Ecology*, 13(6), pp. 524–532.
- Chen, C. D., & Sofian-Azirun, M. (2010). A checklist of butterflies (Lepidoptera : Nymphalidae) collected from a secondary forest in Ulu Gombak , Selangor. In A. A. Ismail, M. F. Mad Nordin, N. A. Che Zaudin, J. Mat Sa'at, & N. Ab Aziz (Eds.), *Proceedings of the 1st National Conference on Natural Resources*. Kota Bharu: Universiti Malaysia Kelantan. pp. 310 - 311.
- Chia, K. H. M., Chen, C. D., & Sofian-Azirun, M. (2011). A Preliminary Checklist of Butterfly (Insecta : Lepidoptera ) Collected From Coniferous Recreational Forest, Bentong, Pahang. In *UMTAS 2011 Empowering Science, Technology and Innovation Towards a Better Tomorrow*. Kuala Terengganu: Universiti Malaysia Terengganu. pp. 464–468.
- Chiew, H. (2009, March 31). Broken spine. *The Star Online*. Retrieved from <https://www.thestar.com.my/>

- Chong, K. Y., Teo, S., Kurukulasuriya, B., Chung, Y. F., Rajathurai, S., & Tan, H. T. W. (2014). Not all green is as good: Different effects of the natural and cultivated components of urban vegetation on bird and butterfly diversity. *Biological Conservation*, 171, pp. 299–309.
- Chow, V. K. K., Mohd Said, M. I., Mohamed, M., & Sabri, S. (2016). Species Composition and Abundance of Freshwater Fishes in Selected Rivers of Johor, Malaysia. *International Journal of Research in Chemical, Metallurgical and Civil Engineering*, 3(2). pp. 214-218
- Chowhan, R. S., Kumari, S., & Karel, A. (2017). E-Green Revolution : Intentional Pollination using Intelligent Agent Based Autonomous Drone-Pollinator-Bees. *International Journal of Pure & Applied Bioscience*, 5(6), pp. 1139–1142.
- Cik Mohd Rizuan, Z. A., Noor Hisham, H., & Samsudin, A. (2013). Role of Pollinating Weevil (*Elaeidobius kamerunicus*), Seasonal Effect and Its Relation to Fruit Set in Oil Palm Area of FELDA Sahabat. In *MPOB International Congress (PIPOC)*. Kuala Lumpur: Malaysian Palm Oil Board. pp. 1-4.
- CITES. (2017). Appendices I, II and III. Retrieved May 6, 2019, from <https://www.cites.org/>
- Clark, J. D., Dunn, J. E., & Smith, K. G. (1993). A Multivariate Model of Female Black Bear Habitat Use for a Geographic Information System. *The Journal of Wildlife Management*, 57(3), pp. 519–526.
- Clements, G. R., Rayan, D. M., Aziz, S. A., Traeholt, C., Magintan, D., Fadlli, M., ... Tingley, R. (2012). Predicting the distribution of the Asian tapir in Peninsular Malaysia using maximum entropy modeling. *Integrative Zoology*, 7(4), pp. 400–406.
- Cobben, M. M. ., Treuren, R. V, Castaneda-Alvarez, N. P., Khoury, C. K., Kik, C., & van Hintum, T. (2015). Robustness and accuracy of Maxent niche modelling for *Lactuca* species distributions in light of collecting expeditions. *Plant Genetic Resources: Characterization and Utilization*, 13(2), pp. 153–161.
- Coddington, J. A., Agnarsson, I., Miller, J. A., Kuntner, M., & Hormiga, G. (2009). Undersampling bias : the null hypothesis for singleton species in tropical arthropod surveys. *Journal of Animal Ecology*, 78, pp. 573–584.
- Conner, J. K., Davis, R., & Rush, S. (1995). The effect of wild radish floral morphology on pollination efficiency by four taxa of pollinators. *Oecologia*, 104(2), pp. 234–245.



- Cooper, A. M. P. (2018). *REDD + : The “ Win-Win ” Solution?* Lund University: Graduate Thesis.
- Corbet, A. S., & Pendlebury, H. . (1992). *The Butterflies of the Malay Peninsula*. (J. . Eliot, Ed.) (4th ed.). Kuala Lumpur: Malayan Nature Society.
- Crous, C. J., Pryke, J. S., & Samways, M. J. (2015). Conserving a geographically isolated *Charaxes* butterfly in response to habitat fragmentation and invasive alien plants. *Koedoe*, 57(1), pp. 1–9.
- Curtis, R. J., Brereton, T. M., Dennis, R. L. H., Carbone, C., & Isaac, N. J. B. (2015). Butterfly abundance is determined by food availability and is mediated by species traits. *Journal of Applied Ecology*, 52(6), pp. 1676 - 1684.
- Damanhuri, A., Ag. Kanak, F., Maideen, H., A. Rahman, A., Lee, G. E., & Nik, N. (2009). Flora lumut jati di Hutan Simpan Panti. In R. Ujang, H. L. Koh, A. R. Abdul Rahim, Y. Mahmood, M. R. Rani, A. Norhayati, & A. Latiff (Eds.), *Hutan Simpan Panti, Johor: Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian Biologi Hutan*. Kuala Lumpur: Jabatan Perhutanan Semenanjung Malaysia. pp. 77–88.
- Davies, J. W. (2019). Multiple temperature effects on phenology and body size in wild butterflies predict a complex response to climate change. *Ecology*, 100(4), pp. e02612
- de Jong, R., Vane-Wright, R. I., & Ackery, P. R. (1996). The higher classification of butterflies (Lepidoptera): problems and prospects. *Entomologica Scandinavica*, 27(1805), pp. 65–101.
- de Oliveira Cruz, D., Freitas, B. M., Da Silva, L. A., Da Silva, E. M. S., & Bomfim, I. G. A. (2005). Pollination efficiency of the stingless bee *Melipona subnitida* on greenhouse sweet pepper. *Pesquisa Agropecuaria Brasileira*, 40(12), pp. 1197–1201.
- Del Sarto, M. C. L., Peruquetti, R. C., & Campos, L. A. O. (2005). Evaluation of the neotropical stingless bee *Melipona quadrifasciata* (Hymenoptera: Apidae) as pollinator of greenhouse tomatoes. *Journal of Economic Entomology*, 98(2), pp. 260–266.
- Department of Statistics. (2019). *Population Quick Info*. Retrieved from <https://www.dosm.gov.my/v1/>.

- Deutsch, C. A., Tewksbury, J. J., Tigchelaar, M., Battisti, D. S., Merrill, S. C., Huey, R. B., & Naylor, R. L. (2018). Increase in crop losses to insect pests in a warming climate. *Science*, 391, pp. 916–919.
- Dogterom, M. H., Matteoni, J. A., & Plowright, R. C. (1998). Pollination of Greenhouse Tomatoes by the North American *Bombus vosnesenskii* (Hymenoptera: Apidae). *Journal of Economic Entomology*, 91(1), pp. 71–75.
- Dollar, J. G., Riffell, S., Adams, H. L., & Wes Burger, L. (2014). Evaluating butterflies as surrogates for birds and plants in semi-natural grassland buffers. *Journal of Insect Conservation*, 18(2), pp. 171–178.
- Dudik, M., Schapire, R. E., & Phillips, S. J. (2005). Correcting sample selection bias in maximum entropy density estimation. In *NIPS'05 Proceedings of the 18th International Conference on Neural Information Processing Systems* Massachusetts: MIT Press. pp. 323–330.
- DWNP. (1996). *Sumatran rhinoceros in Endau Rompin, Malaysia: Their Plight and Fate*. Kuala Lumpur: Department of Wildlife and National Parks - UNDP.
- DWNP. (2016). *Laporan Tahunan*. Kuala Lumpur: Department of Wildlife and National Parks
- Eglington, S. M., Brereton, T. M., Tayleur, C. M., Noble, D., Risely, K., Roy, D. B., & Pearce-Higgins, J. W. (2015). Patterns and causes of covariation in bird and butterfly community structure. *Landscape Ecology*, 30(8), pp. 1461–1472.
- Eh Rak, A., Said, I., Mohamed, M., & Abas, A. (2010). Benthic macroinvertebrate composition in the Gunung Berlumut Recreational Forest, Kluang, Johor, Malaysia. In *The 7th IMT-GT UNINET and the 3rd Joint International PSU-UNS Conference on Bioscience for the Future*. Thailand: Prince of Songkla University. pp. 1–9.
- Ehrlich, P. R., & Raven, P. H. (1964). Butterflies and Plants: A Study in Coevolution. *Evolution*, 18(4), pp. 586 - 608.
- Eliot, J. N. (2006). Updating The Butterflies of the Malay Peninsula. *Malayan Nature Journal*, 59(1), pp. 1–49.
- Eliot, J. N., & Kirton, L. G. (2000). Revisional Notes and Nomenclatural Changes of Some Peninsular Malaysian Butterflies. *Malayan Nature Journal*, 54(2), pp. 131–145.



- Elith, J., Graham, C., Anderson, R., Dudík, M., Ferrier, S., Guisan, A., ... Zimmermann, N. (2006). Novel methods improve prediction of species distributions from occurrence data. *Ecography*, 29(2), pp. 129–151.
- Elith, J., Kearney, M., & Phillips, S. (2010). The art of modelling range-shifting species. *Methods in Ecology and Evolution*, 1(4), pp. 330–342.
- Elith, J., Phillips, S. J., Hastie, T., Dudík, M., Chee, Y. E., & Yates, C. J. (2011). A statistical explanation of MaxEnt for ecologists. *Diversity and Distributions*, 17(1), pp. 43–57.
- Evangelista, P. H., Kumar, S., Stohlgren, T. J., Catherine, S., Crall, A. W., Iii, J. B. N., & Barnett, D. T. (2008). Modelling invasion for a habitat generalist and a specialist plant species. *Diversity and Distributions*, 14, pp. 808–817.
- Evans, D. M., Che-Castaldo, J. P., Crouse, D., Davis, F. W., Epanchin-Niell, R., Flather, C. H., ... Williams, B. K. (2016). Species Recovery in the United States: Increasing the Effectiveness of the Endangered Species Act. *Issues in Ecology*, 20, pp. 1–28.
- FAO. (2016). *Global Forest Resources Assessment 2015* (2nd ed.). Rome: Food and Agriculture Organizations of the United Nations.
- Fick, S. E., & Hijmans, R. J. (2017). WorldClim 2: new 1-km spatial resolution climate surfaces for global land areas. *International Journal of Climatology*, 37(12), pp. 4302–4315.
- Fithian, W., & Hastie, T. (2013). Finite-Sample Equivalence in Statistical Models for Presence Only Data. *The Annals of Applied Statistics*, 7(4), pp. 1917–1939.
- Fleming, W. A. (1974). *Butterflies of West Malaysia & Singapore* (2nd ed.). Kuala Lumpur: Longman Malaysia Sdn. Bhd.
- Fountain, T., Nieminen, M., Sirén, J., Chong, S., & Hanski, I. (2016). Predictable allele frequency changes due to habitat fragmentation in the Glanville fritillary butterfly. *Proceedings of the National Academy of Sciences*, 113(10), pp. 2678–2683.
- Fourcade, Y., Engler, J. O., Besnard, A. G., Rödder, D., & Secondi, J. (2013). Confronting expert-based and modelled distributions for species with uncertain conservation status: A case study from the corncrake (*Crex crex*). *Biological Conservation*, 167, pp. 161–171.
- Fourcade, Y., Engler, J. O., Rödder, D., & Secondi, J. (2014). Mapping species distributions with MAXENT using a geographically biased sample of presence

- data: A performance assessment of methods for correcting sampling bias. *PLoS ONE*, 9(5), pp. 1–13.
- Franklin, J. (1995). Predictive vegetation mapping: Geographic modelling of biospatial patterns in relation to environmental gradients. *Progress in Physical Geography*, 19(4), pp. 474–499.
- Gabi, A. U., & Matias-Peralta, H. M. (2015). Plankton Diversity , Physico-Chemical Parameters and Conservation Value of Temporary Freshwater Rock Pools. *International Journal of Research and Review*, 2(9), pp. 562–573.
- García-callejas, D., & Araújo, M. B. (2016). The effects of model and data complexity on predictions from species distributions models. *Ecological Modelling*, 326(1), pp. 4–12.
- Garland, L., Wells, M., French, K., & Dawkins, J. (2017). Rainforest to Reef: A Landscape-scale Approach to Coastal Ecotourism in Malaysia. *Preprints*, 2017080078. <https://doi.org/10.20944/preprints201708.0078.v1>
- Gerhardt, A. (2009). Bioindicator Species and Their Use in Biomonitoring. In H. I. Inyang & J. L. Daniels (Eds.), *Environmental Monitoring* (Vol. I). Oxford, UK: Eolss Publishers Co. Ltd.
- Gerlach, J., Samways, M., & Pryke, J. (2013). Terrestrial invertebrates as bioindicators: an overview of available taxonomic groups. *Journal of Insect Conservation*, 17(4), pp. 831–850.
- Glover-kapfer, P. (2018). A training manual for habitat suitability and connectivity modelling. Bhutan: World Wildlife Foundation (WWF).
- Gotelli, N., & Entsminger, G. (2002). Ecosim : Null Models Software for Ecology. Burlington, VT: Acquired Intelligence Inc.
- Guisan, A., & Zimmermann, N. E. (2000). Predictive habitat distribution models in ecology. *Ecological Modelling*, 135(2–3), pp. 147–186.
- Gutiérrez, D., & Wilson, R. J. (2014). Climate conditions and resource availability drive return elevational migrations in a single-brooded insect. *Oecologia*, 175(3), pp. 861–873.
- Hamidah, M., Chua, L. S. L., Suhaida, M., Yong, W. S. Y., & Kiew, R. (2011). *Botanical Gazetteer for Peninsular Malaysia*. (L. G. Saw, E. Soepadmo, & R. C. K. Chung, Eds.). Kepong: Forest Research Institute of Malaysia (FRIM).

- Hammer, O., Harper, D. A. T., & Ryan, P. D. (2001). PAST: Paleontological Statistics Software Package for Education and Data Analysis. *Palaeontologia Electronica*, 4(1), pp. 1–9.
- Harvey, C. a, Medina, A., Sánchez, D. M., Vílchez, S., Hernández, B., Saenz, J. C., ... Sinclair, F. L. (2006). Patterns of animal diversity in different forms of tree cover in agricultural landscapes. *Ecological Applications*, 16(5), pp. 1986–1999.
- Hashim, S. N., Sidik, J. N., Abu Shah, N., Haliza Dahlia, A. H., & Khamis, S. (2016). Flowering Plant and Fruit Type of Gunung Ledang Johor National Park : A Survey. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 29 - 38.
- Hawkins, B. A., & Porter, E. E. (2003). Does Herbivore Diversity Depend on Plant Diversity? The Case of California Butterflies. *The American Naturalist*, 161(1), pp. 40–49.
- Hermoso, V., Kennard, M. J., Schmidt, D. J., Bond, N., Huey, J. A., Mondol, R. K., ... Hughes, J. M. (2016). Species distributions represent intraspecific genetic diversity of freshwater fish in conservation assessments. *Freshwater Biology*, 61(10), pp. 1707 - 1719.
- Hernandez, P. A., Graham, C. H., Master, L. L., & Albert, D. L. (2006). The effect of sample size and species characteristics on performance of different species distribution modeling methods. *Ecography*, 29(5), pp. 773–785.
- Hijmans, R. (2012). Cross-validation of species distribution models: removing spatial sorting bias and calibration with a null model. *Ecology*, 93(3), pp. 679–688.
- Hikmat, A. (2005). Biomass Estimation, Carbon Storage And Energy Content Of Three Virgin Jungle Reserves In Peninsular Malaysia. *Media Konservasi*, 10(2), pp. 1–8.
- Hikmat, A., Faridah-Hanum, I., & Latiff, A. (2008). Tree diversity assessment and economic valuation of three Virgin Jungle Reserves in Peninsular Malaysia. *Malaysian Forester*, 71(1), pp. 51–65.
- Hill, J. K., Hamer, K. C., Lace, L. A., & Banham, W. M. T. (1995). Effects of selective logging on tropical forest butterflies on Buru, Indonesia. *Journal of Applied Ecology*, 32(4), pp. 754–760.

- Hill, J. K., Thomas, C. D., & Lewis, O. T. (1996). Effects of Habitat Patch Size and Isolation on Dispersal by *Hesperia comma* Butterflies: Implications for Metapopulation Structure. *The Journal of Animal Ecology*, 65(6), pp. 725–735.
- Hirzel, A. H., Hausser, J., Chessel, D., & Perrin, N. (2002). Ecological-niche factor analysis: How to compute habitat-suitability maps without absence data? *Ecology*, 83(7), pp. 2027–2036.
- Hirzel, Alexandre H., & Le Lay, G. (2008). Habitat suitability modelling and niche theory. *Journal of Applied Ecology*, 45(5), pp. 1372–1381.
- Ho, B. C., & Tan, B. C. (2002). Additions To The Moss Flora of Endau Rompin National Park, Johore State , Peninsular Malaysia. *Tropical Bryology*, 22(1), pp. 67–76.
- Huang, J., & Li, J. (2014). Effects of climate change on overwintering pupae of the cotton bollworm, *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *International Journal of Biometeorology*, 59(7), pp. 863–876.
- Hughes, A. C. (2017). Understanding the drivers of Southeast Asian biodiversity loss. *Ecosphere*, 8(1), pp. e01624.
- Intachat, J., & Kirton, L. G. (1997). Observations On Insects Associated With *Acacia mangium* In Peninsular Malaysia. *Journal of Tropical Forest Science*, 9(4), pp. 561–564.
- IPCC. (2017). *Global Warming of 1.5 C: Summary for Policymakers*. Geneva: Intergovernmental Panel on Climate Change.
- Ishaq, A. G. (2016). *Antibacterial Activities Of Lipid And Pigment Extract Of Scenedesmus sp. Isolated From The Temporary Waters Of Endau Rompin*. Universiti Tun Hussein Onn: Master's Thesis
- Ismail, M. F., Daim, M.-S., Embong, M. R., & Mohd Zin, K. F. (2014). The Large Mammals of Gunung Ledang Johor National Park. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 128–133.
- Ismail, N. (2017). *Spatial and Temporal Distribution of Butterfly and Highland and Lowland Forests of Johor*. Universiti Tun Hussien Onn Malaysia: Master's Thesis.
- Ismail, N., & Maryati, M. (2016). Preliminary checklist of butterflies (Lepidoptera: Rhopalocera) at Bukit Reban Kambing, Bukit Belading and

- Bukit Tukau, Johor, Malaysia. *Seminar Warisan Johor*. Iskandar Puteri: Perbadanan Taman Negara Johor (in press).
- Iturbide, M., Bedia, J., Herrera, S., Pinto, M., & Manuel, J. (2015). A framework for species distribution modelling with improved pseudo-absence generation. *Ecological Modelling*, 312, pp. 166–174.
- Jain, A., Lim, F. K. S., & Webb, E. L. (2017). Species-habitat relationships and ecological correlates of butterfly abundance in a transformed tropical landscape. *Biotropica*, 49(3), pp. 355–364.
- Jennersten, O. (1984). Flower visitation and pollination efficiency of some North European butterflies. *Oecologia*, 63, pp. 80–89.
- JNPC. (2019). *Financial Report 2018*. Iskandar Puteri: Johor National Parks Corporation
- Jones, J. P. G. (2011). Monitoring species abundance and distribution at the landscape scale. *Journal of Applied Ecology*, 48, pp. 9–13.
- JPNJ. (2005). Summary Of The State Of Johor Forest Management Plan For The Period Between 2006 - 2015. Iskandar Puteri: Johor State Forestry Department.
- JPNJ. (2015). Rancangan Pengurusan Hutan Negeri Johor 2016 - 2025. Iskandar Puteri: Johor State Forestry Department.
- JPSM. (2012). *Hutan Simpan Gunung Belumut, Johor: Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian Biologi*. (A. R. Hj. Abd. Rahim, Y. Mahmood, M. N. Abu Hassan, M. Abdulla, & A. Latiff, Eds.) (1st ed.). Kuala Lumpur: Jabatan Perhutanan Semenanjung Malaysia.
- JPSM. (2017). *Forestry Department of Peninsular Malaysia Annual Report*. Putrajaya: Forestry Department of Peninsular Malaysia.
- Jue, D. K., & Daniels, J. C. (2015). A successful model for citizen scientist involvement in building a statewide at-risk butterfly database. *Journal of Insect Conservation*, 19(2), pp. 421–431.
- Jyväsjärvi, J., Virtanen, R., Ilmonen, J., Paasivirta, L., & Muotka, T. (2018). Identifying taxonomic and functional surrogates for spring biodiversity conservation. *Conservation Biology*, 32(4), pp. 883–893.
- Kandel, K., Huettmann, F., Suwal, M. K., Ram Regmi, G., Nijman, V., Nekaris, K. A. I., ... Subedi, T. R. (2015). Rapid multi-nation distribution assessment of a charismatic conservation species using open access ensemble model GIS



predictions: Red panda (*Ailurus fulgens*) in the Hindu-Kush Himalaya region. *Biological Conservation*, 181, pp. 150–161.

Kangayatkarasu, N. (2018). *Biodiversity Governance In Peninsular Malaysia - Identifying Conservation Priorities, Evaluating The Impact Of Federalism And Assessing The Governance Of Protected Areas*. University of Nottingham Malaysia Campus: Ph.D. Thesis.

Kanniah, K. D., Sheikhi, A., Cracknell, A. P., Goh, H. C., Tan, K. P., Ho, C. S., & Rasli, F. N. (2015). Satellite Images for Monitoring Mangrove Cover Changes in a Fast Growing Economic Region in Southern. *Remote Sensing*, 7, pp. 14360–14385.

Karen-Chia, H. M. (2014). *Exploring The Diversity Of Butterflies (Lepidoptera) At Different Elevations In Genting Highlands And The Validity Of Graphium Species In Peninsular Malaysia*. University of Malaya: Master's Thesis.

Kharouba, H. M., Lewthwaite, J. M. M., Guralnick, R., Kerr, J. T., Vellend, M., & Kharouba, H. M. (2018). Using insect natural history collections to study global change impacts: challenges and opportunities. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 374(1763), pp. 20170405

Kiedrzyński, M., Zielińska, K. M., Rewicz, A., & Kiedrzyńska, E. (2017). Habitat and spatial thinning improve the Maxent models performed with incomplete data. *Journal of Geophysical Research: Biogeosciences*, 122(6), pp. 1359–1370.

Kirton, L. (2014). *A Naturalist's Guide to the Butterflies of Peninsular Malaysia, Singapore and Thailand* (1st ed.). Oxford: John Beaufoy Publishing Limited.

Kirton, L. (2018). *A Naturalist's Guide to the Butterflies of Malaysia: Peninsular Malaysia, Singapore, and Southern Thailand* (2nd ed.). Oxford: John Beaufoy Publishing Limited.

Kirton, L.G., & Kirton, C. G. (1987). Butterflies of the Kuala Jasin region, Ulu Endau, Johore, Malaysia. *Malayan Nature Journal*, 41, pp. 365–377.

Kirton, L.G., Kirton, C. G., & Tan, M. W. (1990). Butterflies of Kuala Tahan and Gunung Tahan in Taman Negara. *Journal of Wildlife and Parks*, 10, pp. 62–77.

Kirton, Laurence G., & Cheng, S. (2007). Overview Of Insect Biodiversity Research In Peninsular Malaysia. In L. S. Chua, L. G. Kirton, & L. G. Saw (Eds.), *Status of Biological Diversity in Malaysia and Threat Assessment of Plant Species in*

- Malaysia*. Kepong: Forest Research Institute of Malaysia (FRIM). pp. 121–128.
- Klein, A. M., Steffan-Dewenter, I., & Tscharnkte, T. (2003). Fruit set of highland coffee increases with the diversity of pollinating bees. *Proceedings of the Royal Society B: Biological Sciences*, 270(1518), pp. 955–961.
- Koch, B., Edwards, P. J., Blanckenhorn, W. U., Buholzer, S., Walter, T., Wüest, R. O., & Hofer, G. (2013). Vascular plants as surrogates of butterfly and grasshopper diversity on two Swiss subalpine summer pastures. *Biodiversity and Conservation*, 22, pp. 1451–1465.
- Koh, L. P. (2008). Can oil palm plantations be made more hospitable for forest butterflies and birds ? *Journal of Applied Ecology*, 45, pp. 1002–1009.
- Koh, L. P., Sodhi, N. S., & Brook, B. W. (2004). Co-extinctions of tropical butterflies and their hostplants. *Biotropica*, 36(2), pp. 272–274.
- Koh, L. P., & Wilcove, D. S. (2008). Is oil palm agriculture really destroying tropical biodiversity? *Conservation Letters*, 1(2), pp. 60–64.
- Kok, M. T. J., Alkemade, R., Bakkenes, M., van Eerdt, M., Janse, J., Mandryk, M., ... van Vuuren, D. P. (2018). Pathways for agriculture and forestry to contribute to terrestrial biodiversity conservation: A global scenario-study. *Biological Conservation*, 221, pp. 137–150.
- Konvicka, M., Maradova, M., Benes, J., Fric, Z., & Kepka, P. (2003). Uphill shifts in distribution of butterflies in the Czech Republic: Effects of changing climate detected on a regional scale. *Global Ecology and Biogeography*, 12(5), pp. 403–410.
- Kraemer, M. U. G., Sinka, M. E., Duda, K. a, Mylne, A., Shearer, F. M., Barker, C. M., ... Hay, S. I. (2015). The global distribution of the arbovirus vectors *Aedes aegypti* and *Ae. albopictus*. *ELife*, 4, pp. 1–18.
- Kremen, C., Cameron, A., Moilanen, A., Phillips, S. J., Thomas, C. D., Beentje, H., ... Zjhra, M. L. (2008). Aligning Conservation Priorities Across Taxa in Madagascar with High-Resolution Planning Tools. *Science*, 320(1), pp. 222–225.
- Kunte, K., Joglekar, A., Ghate, U., & Pramod, P. (1999). Patterns of butterfly, birds and tree diversity in the Western Ghats. *Current Science*, 77(4), pp. 577–586.
- Kyerematen, R., Kaiwa, F., Acquah-Lamptey, D., Adu-Acheampong, S., & Andersen, R. S. (2018). Butterfly Assemblages of Two Wetlands: Response of

- Biodiversity to Different Environmental Stressors in Sierra Leone. *Open Journal of Ecology*, 8(7), pp. 379–395.
- Laciny, A., Zettel, H., Maryati, M., & Noor-Izwan, A. (2019). A new species of the *Echinopla mezgeri* group (Insecta: Hymenoptera: Formicidae) from Peninsular Malaysia. *Annalen Des Naturhistorischen Museums in Wien*, 121, pp. 249–256.
- Langpap, C., Kerkvliet, J., & Shogren, J. F. (2017). The economics of the U.S. endangered species act: A review of recent developments. *Review of Environmental Economics and Policy*, 12(1), pp. 1–23.
- Lavelle, M. (2015). Last dance? *Science* 348(6241), pp. 1300 - 1305.
- Law, B., Caccamo, G., Roe, P., Truskinger, A., Brassil, T., Leroy, G., ... Stanton, M. (2017). Development and field validation of a regional , management- - scale habitat model: A koala *Phascolarctos cinereus* case study. *Ecology and Evolution*, 7, pp. 7475–7489.
- Lim, K. K. P., & Baker, N. (2016). Norhayati's Gliding Frog *Rhacophorus norhayatae* from Gunung Pantl and Gunung Pulai, Johor, Peninsular Malaysia. *Southeast Asia Vertebrate Records*, pp. 25–27.
- Liu, C., Newell, G., & White, M. (2018). The effect of sample size on the accuracy of species distribution models: considering both presences and pseudo-absences or background sites. *Ecography*, 42(3), pp. 535–548.
- Lucey, J. M., & Hill, J. K. (2012). Spillover of Insects from Rain Forest into Adjacent Oil Palm Plantations. *Biotropica*, 44(3), pp. 368–377.
- Luoto, M., Pöyry, J., Heikkinen, R. K., & Saarinen, K. (2005). Uncertainty of bioclimate envelope models based on the geographical distribution of species. *Global Ecology and Biogeography*, 14(1), pp. 575–584.
- Lyet, A., Thuiller, W., Cheylan, M., & Besnard, A. (2013). Fine-scale regional distribution modelling of rare and threatened species: Bridging GIS Tools and conservation in practice. *Diversity and Distributions*, 19(7), pp. 651–663.
- Macleán, H. J., Higgins, J. K., Buckley, L. B., & Kingsolver, J. G. (2016). Morphological and physiological determinants of local adaptation to climate in Rocky Mountain butterflies. *Conservation Physiology*, 4(1), pp. 1–10.
- Maes, D., Ellis, S., Goffart, P., Cruickshanks, K. L., Swaay, C. A. M. Van, Cors, R., ... Bourn, N. A. D. (2019). The potential of species distribution modelling for



- reintroduction projects : the case study of the Chequered Skipper in England. *Journal of Insect Conservation*. <https://doi.org/10.1007/s10841-019-00154-w>
- Magurran, A. E. (2004). *Measuring Biological Diversity* (1st ed.). Massachusetts: Blackwell Publishing.
- Mainali, K. P., Warren, D. L., Dhileepan, K., Mcconnachie, A., Strathie, L., Hassan, G., ... Parmesan, C. (2015). Projecting future expansion of invasive species: Comparing and improving methodologies for species distribution modeling. *Global Change Biology*, 21(12), pp. 4464–4480.
- Mainella, A. M. (2016). *Comparison of MaxEnt and Boosted Regression Tree Model Performance in Predicting the Spatial Distribution of Threatened Plant, Telephus Spurge (Euphorbia Telephioides)*. Miami University: Master's Thesis
- Maleque, M. A., Maeto, K., & Ishii, H. T. (2009). Arthropods as bioindicators of sustainable forest management, with a focus on plantation forests. *Applied Entomology and Zoology*, 44(1), pp. 1–11.
- Mandrekar, J. N. (2010). Receiver Operating Characteristic Curve in Diagnostic Test Assessment. *Journal of Thoracic Oncology*, 5(9), pp. 1315–1316.
- Maniam, A., & Singaravelloo, K. (2015). Impediments to Linking Forest Islands to Central Forest Spine in Johor, Malaysia. *International Journal of Social Science and Humanity*, 5(1), pp. 22–28.
- Margules, C. R., & Pressey, R. L. (2000). Systematic conservation planning. *Nature*, 405, pp. 243–253.
- Marshall, L., Carvaheiro, L. G., Aguirre-Gutierrez, J., Bos, M., Groot, G. A. De, Marshall, L., ... Biesmeijer, J. C. (2015). Testing projected wild bee distributions in agricultural habitats : predictive power depends on species traits and habitat type. *Ecology and Evolution*, 5(19), pp. 4426–4436.
- Maryati, M., David, M. C., Mohd-Razali, N. A., & Rajini, F. A. (2014). Inventory of Insects Groups in Gunung Ledang, Johor, Malaysia. *Serangga*, 19(2), pp. 1–29.
- Maryati, M., Ismail, N., & Mohd-Munjayan, M. Z. (2013). Butterflies (Lepidoptera : Rhopalocera) of Taman Negara Johor Endau Rompin, Johor. *Serangga*, 18(2), pp. 11–22.
- Maryati, M., Awang, M. T., Kueh, B. H., & Tokiman, L. (2016). *Anuran of Taman Negara Johor Endau Rompin*. Batu Pahat: Penerbit UTHM

- Maseri, N. M., Mohd-Ros, A. H., & Suksuwan, S. (2009). Gunung Stong State Park (GSSP), *Kelantan Darul Naim Preliminary Management Plan*. Petaling Jaya: WWF-Malaysia.
- Matthew, N., Ahmad, S., Ramachandran, S., Syamsul-Herman, M., & Zaiton, S. (2018). Visitors Preferences On Forest Conservation And Management In Endau – Rompin National Park. *Journal of Tropical Forest Science*, 30(3), pp. 354–361.
- Merow, C., Smith, M. J., & Silander, J. A. (2013). A practical guide to MaxEnt for modeling species distributions: what it does, and why inputs and settings matter. *Ecography*, 36, pp. 1058 - 1069.
- Miller, D. C., Agrawal, A., & Roberts, J. T. (2013). Biodiversity, Governance, and the Allocation of International Aid for Conservation. *Conservation Letters*, 6(1), pp. 12–20.
- Ministry of Natural Resources and Environment. (2016). *National Policy on Biological Diversity 2016-2025* (1st ed.). Putrajaya: Ministry of Natural Resources and Environment.
- Mohamad, S. (2016). *Potensi dan Promosi Pelancongan Fito di Taman Negara Johor Endau Rompin, Johor, Malaysia*. Universiti Tun Hussein Onn: Master's Thesis
- Mohd. Nor, M. N., & Mahli, A. R. (2017). *Forest Crimes and Its Challenges in Peninsular Malaysia*. Kuala Lumpur: Forestry Department of Peninsular Malaysia.
- Molloy, S. W., Davis, R. A., Dunlop, J. A., & van Etten, E. J. B. (2017). Applying surrogate species presences to correct sample bias in species distribution models: a case study using the *Pilbara* population of the Northern Quoll. *Nature Conservation*, 18(1), pp. 25–46.
- Monk, K. A. (1987). A comparison of the diets of some rainforest grasshoppers (Orthoptera: Acrididae) in Malaysia. *Malayan Nature Journal*, 41, pp. 383–391.
- Morán-ordóñez, A., Briscoe, N. J., & Wintle, B. A. (2018). Modelling species responses to extreme weather provides new insights into constraints on range and likely climate change impacts for Australian mammals. *Ecography*, 41(1), pp.
- Morelli, F., Møller, A. P., Nelson, E., Benedetti, Y., Tichit, M., Šimová, P., ... Tryjanowski, P. (2017). Cuckoo as indicator of high functional diversity of bird

- communities: A new paradigm for biodiversity surrogacy. *Ecological Indicators*, 72, pp. 565–573.
- Morris, E. K., Caruso, T., Fischer, M., Hancock, C., Obermaier, E., Prati, D., ... Rillig, M. C. (2014). Choosing and using diversity indices : insights for ecological applications from the German Biodiversity Exploratories. *Ecology and Evolution*, 4(18), pp. 3514–3524.
- Moudrý, V., & Šimová, P. (2012). Influence of positional accuracy, sample size and scale on modelling species distributions: A review. *International Journal of Geographical Information Science*, 26(11), pp. 2083–2095.
- Musolin, D. L. (2007). Insects in a warmer world: Ecological, physiological and life-history responses of true bugs (Heteroptera) to climate change. *Global Change Biology*, 13(8), pp. 1565–1585.
- Nagendra, H., Lucas, R., Honrado, J. P., Jongman, R. H. G., Tarantino, C., Adamo, M., & Mairota, P. (2013). Remote sensing for conservation monitoring: Assessing protected areas, habitat extent, habitat condition, species diversity, and threats. *Ecological Indicators*, 33, pp. 45–59.
- Nazeri, M., Jusoff, K., Madani, N., Mahmud, A. R., Bahman, A. R., & Kumar, L. (2012). Predictive Modeling and Mapping of Malayan Sun Bear (*Helarctos malayanus*) Distribution Using Maximum Entropy. *PLoS ONE*, 7(10). pp. e8104
- Nazeri, M., Kumar, L., Jusoff, K., & Bahaman, A. R. (2014). Modeling the potential distribution of sun bear in Krau wildlife reserve, Malaysia. *Ecological Informatics*, 20, pp. 27–32.
- Noack, F. (2002). A checklist of butterflies of Perlis State Park. *Malayan Nature Journal*, 56(2), pp. 175–182.
- Nor Zaiha, A., Mohd Ismid, M. S., & Salmiati. (2015). Temporal Distribution of Benthic Macroinvertebrate Communities from Tropical Forest Stream in Gunung Pulai Recreational Forest, Johor, Peninsular Malaysia. *Sains Malaysiana*, 44(9), pp. 1223 - 1228.
- Nordin, M. K. (2015). *Ground Breaking cum Mangrove Tree Planting Ceremony of Sungai Pulai Wellness Resort*. Iskandar Puteri: Office of the Chief Minister of Johor.
- Noss, R. F. (1990). Indicators for Monitoring Biodiversity : A Hierarchical Approach. *Conservation Biology*, 4(4), pp. 355–364.

- Nowicki, P., Settele, J., Henry, P.-Y., & Woyciechowski, M. (2008). Butterfly Monitoring Methods: The ideal and the Real World. *Israel Journal of Ecology & Evolution*, 54(1), pp. 69–88.
- NRE. (2008). *A common vision on biodiversity*. Putrajaya: Ministry of Natural Resources and Environment.
- NRE. (2013). *REDD+ Readiness in Malaysia: Summary of Recommendations*. Putrajaya: Environmental Management and Climate Change Division, Ministry of Natural Resources and Environment.
- NRE. (2014). *5th Report to Convention on Biological Diversity*. Putrajaya: Ministry of Natural Resource and Environment.
- O'Donnell, M. S., & Ignizio, D. A. (2012). Bioclimatic Predictors for Supporting Ecological Applications in the Conterminous United States. *U.S. Geological Survey Data Series*. Reston: U.S. Geological Survey.
- Or, O. C., & Tang, F. L. (2011). Orang Asli and Wildlife Conservation in the Belum-Temengor Forest Complex, Malaysia. *TRAFFIC*, 23(3), pp. 94–104.
- Othman, F. A., Syed Mohamad, S. F., Saad, M. N., Mohd Yusof, F. Z., & Angat, J. (2014). Exploring Birds Species in Gunung Ledang Johor National Park. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 142–147.
- Otsuka, K. (2001). *A Field Guide to the Butterflies of Borneo and South East Asia*. Kota Kinabalu: Borneo Books.
- Pakiam, G. (2018). Agriculture in Johor: What's Left? *Trends in Southeast Asia*, 19(1), pp. 11-57.
- Pearson, D. L. (1994). Selecting Indicator Taxa for the Quantitative Assessment of Biodiversity. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 345(1311), pp. 75–79.
- Pearson, R. G., & Dawson, T. P. (2003). Predicting the impacts of climate change on the distribution of species: Are bioclimate envelope models useful? *Global Ecology and Biogeography*, 12(5), pp. 361–371.
- Perfecto, I., Mas, A., Dietsch, T., & Vandermeer, J. (2003). Conservation of biodiversity in coffee agroecosystems: A tri-taxa comparison in southern Mexico. *Biodiversity and Conservation*, 12(6), pp. 1239–1252.

- Phillips, S. (2008). A Brief Tutorial on Maxent. Retrieved from [http://biodiversityinformatics.amnh.org/open\\_source/maxent/](http://biodiversityinformatics.amnh.org/open_source/maxent/)
- Phillips, S. J. (2008). Transferability, sample selection bias and background data in presence-only modelling: a response to Peterson *et al.* (2007). *Ecography*, 31(1), pp. 272–278.
- Phillips, S. J., Anderson, R. P., & Schapire, R. E. (2006). Maximum entropy modeling of species geographic distributions. *Ecological Modelling*, 190, pp. 231–259.
- Phillips, S. J., Dudik, M., Elith, J., Graham, C., Lehmann, A., Leathwick, J., & Ferrier, S. (2009). Sample selection bias and presence-only distribution models: implications for background and pseudo-absence data. *Ecological Applications*, 19(1), pp. 181–197.
- Phillips, S. J., & Dudik, M. (2008). Modeling of species distributions with Maxent: new extensions and a comprehensive evaluation. *Ecography*, 31(2), pp. 161–175.
- Pierson, J. C., Barton, P. S., Lane, P. W., & Lindenmayer, D. B. (2015). Can habitat surrogates predict the response of target species to landscape change? *Biological Conservation*, 184, pp. 1–10.
- PLANMalaysia. (2018). *Draf Rancangan Struktur Negeri Johor 2015 - 2030*. Johor Bahru: PLANMalaysia.
- PLANMalaysia. (2019). *Sistem Maklumat Gunatanah Perancangan Bersepadu*. Kuala Lumpur: Jabatan Perancangan Bandar dan Desa. Retrieved from <http://iplan.townplan.gov.my/public/geoportal?view=semasa>
- QGIS Development Team. (2019). *QGIS Geographic Information System*. Open Source Geospatial Project.
- Quek, K. C., Sodhi, N. S., & Liow, L. H. (1999). New records of butterfly species for Pulau Tioman, Peninsular Malaysia. *Raffles Bulletin of Zoology*, 47(6), pp. 271–276.
- Questad, E. J., Kellner, J. R., Kinney, K., Cordell, S., Asner, G. P., Thaxton, J., ... Tucker, B. (2014). Mapping habitat suitability for at-risk plant species and its implications for restoration and reintroduction. *Ecological Applications*, 24(2), pp. 385–395.
- Rader, R., Howlett, B. G., Cunningham, S. A., Westcott, D. A., Newstrom-Lloyd, L. E., Walker, M. K., ... Edwards, W. (2009). Alternative pollinator taxa are

- equally efficient but not as effective as the honeybee in a mass flowering crop. *Journal of Applied Ecology*, 46(5), pp. 1080–1087.
- Radosavljevic, A., & Anderson, R. P. (2013). Making better Maxent models of species distributions: Complexity, overfitting and evaluation. *Journal of Biogeography*, 41(4), pp. 629–643.
- Rahman, S. (2017). The Socio-Cultural Impacts of Forest City. *Perspective*, 42, pp. 1–10.
- Rambaldi, G. (2000). *Staffing Protected Areas : Defining Criteria Based on a Case Study of Eight Protected Areas in Philippines*. Limay: Phillipines Department of Environment and Natural Resources
- Ranc, N., Santini, L., Rondinini, C., Boitani, L., Poitevin, F., Angerbjörn, A., & Maiorano, L. (2017). Performance tradeoffs in target-group bias correction for species distribution models. *Ecography*, 40(9), pp. 1076–1087.
- Rands, M. R. W., Adams, W. M., Bennun, L., Butchart, S. H. M., Clements, A., Coomes, D., ... Vira, B. (2010). Biodiversity conservation: Challenges beyond 2010. *Science*, 329, pp. 1298–1303.
- Raza, M. M., Khan, M. A., Arshad, M., Sagheer, M., Sattar, Z., Shafi, J., ... Sattar, A. (2014). Impact of global warming on insects. *Archives of Phytopathology and Plant Protection*, 48(1), pp. 84–94.
- Razak, I. (2017). *Latihan Pemantapan Penguatkuasa TNJ Siri 1/2017*. Iskandar Puteri: Perbadanan Taman Negara Johor Endau Rompin. Retrieved from <https://www.johornationalparks.gov.my/v3/>
- Razak, I., & Yusof, E. (2014). Comparison of Small Mammals Species Composition between Disturbed and Undisturbed Forest Areas of Gunung Ledang Johor National Park. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 109–121.
- Rebelo, H., & Jones, G. (2010). Ground validation of presence-only modelling with rare species: a case study on *Barbastella barbastellus* (Chiroptera: Vespertilionidae). *Journal of Applied Ecology*, 47, pp. 410–420.
- Regional Planning Division. (2009). *Final Report for CFS I: Master Plan for Ecological Linkages*. Kuala Lumpur: Federal Department of Town and Country Planning



- Rhoden, C. M., Peterman, W. E., & Taylor, C. A. (2017). Maxent-directed field surveys identify new populations of narrowly endemic habitat specialists. *PeerJ*, 5, pp. 1–21.
- Ricketts, T. H., Daily, G. C., & Ehrlich, P. R. (2002). Does butterfly diversity predict moth diversity? Testing a popular indicator taxon at local scales. *Biological Conservation*, 103(3), pp. 361–370.
- Ricketts, T. H., Dinerstein, E., Olson, D. M., & Loucks, C. (1999). Who's Where in North America? Patterns of species richness and the utility of indicator taxa for conservation. *Bioscience*, 49(5), pp. 369–381.
- Rinnhofer, L., Roura, N., Arthofer, W., Dejacó, T., Christian, E., Steiner, F. M., & Schlick-Steiner, B. C. (2012). Iterative species distribution modelling and ground validation in endemism research: an Alpine jumping bristletail example. *Biodiversity and Conservation*, 21(1), pp. 2845–2863.
- Robbins, R. K. (1997). Butterfly diversity and a preliminary comparison with bird and mammal diversity. In E. O. Wilson (Ed.), *Biodiversity II. Understanding and Protecting our Biological Resources*. Washington DC: Joseph Henry Press. pp. 69–82.
- Rodrigues, A. S. L., & Brooks, T. M. (2007). Shortcuts for Biodiversity Conservation Planning: The Effectiveness of Surrogates. *Annual Review of Ecology, Evolution, and Systematics*, 38(1), pp. 713–737.
- Rosa, A. de S., Blochtein, B., & Lima, D. K. (2011). Honey bee contribution to canola pollination in Southern Brazil. *Scientia Agricola*, 68(2), pp. 255–259.
- Rosmidi, F. H., Zahidin, M. A., Adanan, A., Azizah, A., Pesiu, E., & Abdullah, M. T. (2017). Checklist of butterflies in Pulau Perhentian and Pulau Bidong, Terengganu. *Journal of Sustainability Science and Management*, 12(1), pp. 40–48.
- Saad, M. N., Singh, H. R., & Daim, M. S. (2014). Species List of Forest Birds at Gunung Ledang Johor National Park. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 134–141.
- Sáez, A., Negri, P., Viel, M., & Aizen, M. A. (2019). Pollination efficiency of artificial and bee pollination practices in kiwifruit. *Scientia Horticulturae*, 246(1), pp. 1017–1021.

- Sahoo, R. K., Warren, A. D., Collins, S. C., & Kodandaramaiah, U. (2017). Hostplant change and paleoclimatic events explain diversification shifts in skipper butterflies ( Family : Hesperidae ). *BMC Evolutionary Biology*, 17(174), pp. 1–9.
- Saw, Leng Guan. (2010). Vegetation of Peninsular Malaysia. In R. Kiew, C. K. R. Chung, L. G. Saw, & E. Soepadmo (Eds.), *Flora of Peninsular Malaysia Series II: Seed Plants* (Vol. 6). Kuala Lumpur: Forest Research Institute of Malaysia (FRIM). pp. 21–45.
- Schulze, C. H., Schneeweih, S., & Fiedler, K. (2010). The potential of land-use systems for maintaining tropical forest butterfly diversity. In T. Tschardtke (Ed.), *Tropical Rainforests and Agroforest under Global Change*. Berlin: Springer-Verlag. pp. 73–96.
- Schwabe, K. A., Carson, R. T., DeShazo, J. R., Potts, M. D., Reese, A. N., & Vincent, J. R. (2015). Creation of Malaysia's Royal Belum State Park: A Case Study of Conservation in a Developing Country. *Journal of Environment and Development*, 24(1), pp. 54–81.
- Scriven, S. A., Beale, C. M., Benedick, S., & Hill, J. K. (2016). Barriers to dispersal of rain forest butterflies in tropical agricultural landscapes. *Biotropica*, 49(2), pp. 206–216.
- Secretariat of the Convention on Biological Diversity. (2006). *Global Biodiversity Outlook 2*. Montreal: Secretariat of the Convention on Biological Diversity.
- Seto, K. C., Fleishman, E., Fay, J. P., & Betrus, C. J. (2004). Linking spatial patterns of bird and butterfly species richness with Landsat TM derived NDVI. *International Journal of Remote Sensing*, 25(20), pp. 4309–4324.
- Shahriza, S., Ibrahim, J., Shahrul Anuar, M. S., & Abdul Muin, M. A. (2012). Herpetofauna of Peta area of Endau-Rompin National Park, Johor, Malaysia. *Pertanika Journal of Tropical Agricultural Science*, 35(3), pp. 553–567.
- Shaw, A. K. (2016). Drivers of animal migration and implications in changing environments. *Evolutionary Ecology*, 30(6), pp.991–1007.
- Siddiki, A. (2015). *Insect Diversity and Composition During the Wet and Dry Seasons in Three Forest Types of Johor, Malaysia*. Universiti Tun Hussein Onn Malaysia: Master's Thesis.
- Sidq Ramji, M. F., & Adrus, M. (2013). Diversity of Birds at Gunung Ledang National Park, Johor. *Rimba*, 3, pp. 116–121.



- Sillero, N. (2011). What does ecological modelling model? A proposed classification of ecological niche models based on their underlying methods. *Ecological Modelling*, 222(8), pp. 1343–1346.
- Singh, H. R., Yahya, M. A., & Rosly, N. (2014). Freshwater Fish Fauna Distribution on the Water Bodies of Gunung Ledang Johor National Parks. In Ahmad Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 162 - 170
- Siti Khairiyah, M. H., Usman, S., Suzita, Y., Florinsiah, L., & Nur Shahirah, N. (2013). The effect of elevations on diversity and abundance of class insecta at Taman Negara Gunung Ledang, Johor. In M. K. Hamzah, O. H. Hassan, & N. Md Tahir (Eds.), *2013 Business Engineering and Industrial Applications Colloquium (BEIAC)*. New Jersey: IEEE. pp. 246–250
- Snaddon, J. L., Turner, E. C., & Foster, W. A. (2008). Children's perceptions of rainforest biodiversity: Which animals have the lion's share of environmental awareness? *PLoS ONE*, 3(7), pp. 1–5.
- Socolar, J. B., Gilroy, J. J., Kunin, W. E., & Edwards, D. P. (2016). How should beta-diversity inform biodiversity conservation? *Trends in Ecology & Evolution*, 31(1), pp. 67–80.
- Sofian-Azirun, M., Kharonizam, M. ., Norma-Rashid, Y., & Daicus, B. (2005). Butterflies ( Insecta : Lepidoptera ) of the southwestern Endau-Rompin National Park. In *The Forests and Biodiversity of Selai, Endau-Rompin*. Johor Bahru: Perbadanan Taman Negara Johor.
- Sofian-Azirun, M., Normaisarah, I., & Khaironizam, M. Z. (2009). A checklist of Butterfly (Insecta : Lepidoptera) from Kenaboi Forest Reserve, Jelebu, Negeri Sembilan, Malaysia. *Malaysian Journal of Science*, 28(4), pp. 415–425.
- Soule, M. E. (1985). What is Conservation Biology? *BioScience*, 35(11), pp. 727–734.
- Sparks, T. H., Roy, D. B., & Dennis, R. L. H. (2005). The influence of temperature on migration of Lepidoptera into Britain. *Global Change Biology*, 11(3), pp. 507–514.
- Srygley, R. B., Dudley, R., Oliveira, E. G., Aizprúa, R., Pelaez, N. Z., & Riveros, A. J. (2009). El Niño and dry season rainfall influence hostplant phenology and an annual butterfly migration from Neotropical wet to dry forests. *Global Change Biology*, 16(3), pp. 936–945.

- Stefanescu, C., Aguado, L. O., Asis, J. D., Banos-Picon, L., Cerda, X., Marcos Garcia, M. A., ... Tormos, J. (2018). Diversidad de insectos polinizadores en la península ibérica. *Ecosistemas*, 27(2), pp. 9–22.
- Støa, B., Halvorsen, R., Mazzoni, S., & Gusarov, V. I. (2018). Sampling bias in presence-only data used for species distribution modelling: assessment and effects on models. *Sommerfeltia*, 38(1), pp. 1–43.
- Stockwell, D., & Peters, D. (1999). The GARP modelling system: Problems and solutions to automated spatial prediction. *International Journal of Geographical Information Science*, 13(2), pp. 143–158.
- Stokland, J. N., Halvorsen, R., & Støa, B. (2011). Species distribution modelling — Effect of design and sample size of pseudo-absence observations. *Ecological Modelling*, 222(11), pp. 1800–1809.
- Stolar, J., & Nielsen, S. E. (2014). Accounting for spatially biased sampling effort in presence-only species distribution modelling. *Diversity and Distributions*, 21(5), pp. 1–14.
- Su, C. J., Debinski, D. M., Jakubauskas, M. E., & Kindscher, K. (2004). Beyond Species Richness: Community Similarity as a Measure of Cross-Taxon Congruence for Coarse-Filter Conservation. *Conservation Biology*, 18(1), pp. 167–173.
- Suhaini, N. A. (2018, November 15). Mersing to be declared national geopark next year. *New Straits Times*. Retrieved from <https://www.nst.com.my/>
- Sulaiman, N., Md. Said, S., Abdullah, M., & Mohamed, A. A. (2010). Butterfly Fauna (Lepidoptera: Rhopalocera) of the Sungai Sedim Forest Reserve in Kedah, Malaysia. *Journal of Wildlife and Parks*, 26, pp. 21–23.
- Sulaiman, N., Mohd Nafi, M. N., Ishak, S. M., & Abdullah, M. (2009). Butterfly fauna (Lepidoptera: Rhopalocera) of Panti Forest Reserve. In R. Ujang, H. L. Koh, A. R. Abdul Rahim, Y. Mahmod, M. R. Rani, A. Norhayati, & A. Latiff (Eds.), *Hutan Simpan Panti, Johor: Pengurusan Hutan, Persekitaran Fizikal dan Kepelbagaian Biologi Hutan*. Kuala Lumpur: Jabatan Perhutanan Semenanjung Malaysia. pp. 192–202.
- Sulla-menashe, D., & Friedl, M. A. (2018). *User Guide to Collection 6 MODIS Land Cover (MCD12Q1 and MCD12C1 ) Product*. Washington DC: US Department of Interior.

- Suratman, M. N., Md Sabri, M. D., Kusin, M., Yamani, S. A. K., Saleh, K., Basiron, N., ... Che Fauzi, S. Z. (2014). A Brief Account of the Tree Flora of Gunung Ledang Johor National Park. In A. N. Bakar, A. R. Ambali, F. Z. Mohd Yusof, H. R. Sigh, & L. Tokiman (Eds.), *Gunung Ledang: Biodiversity and Socioeconomic Environment*. Shah Alam: Penerbit Press Universiti Teknologi Mara. pp. 39–54
- Swets, J. A. (1988). Measuring the Accuracy of Diagnostic Systems. *Science*, 240, pp. 1285–1293.
- Syaripuddin, K. (2014). *Utility of Bats (Chiroptera) As Ecological Indicators in Peninsular Malaysia*. University of Malaya. Master's Thesis.
- Syaripuddin, K., Sing, K., & Wilson, J.J. (2015). Comparison of butterflies, bats and beetles as bioindicators based on four key criteria and DNA barcodes. *Tropical Conservation Science*, 8(1), pp. 138–149.
- Syed, R. A., Law, I. H., & Corley, R. V. H. (1982). Insect pollination of oil palm: introduction, establishment and pollinating efficiency of *Elaeidobius kamerunicus* in Malaysia. *Planter*, 58(681), pp. 547–561.
- Szantoi, Z., Smith, S. E., Strona, G., Koh, L. P., & Wich, S. A. (2017). Mapping orangutan habitat and agricultural areas using Landsat OLI imagery augmented with unmanned aircraft system aerial photography. *International Journal of Remote Sensing*, 38(8–10), pp. 2231–2245.
- Tan, C. C., Tajuddin, S., Mahat, M. F., & Tan, P. E. (2015). A Checklist of Butterflies of Tasek Bera Ramsar Site, Pahang, Malaysia. *Journal of Wildlife and Parks*, 30, pp. 15–26.
- Tan, C. L., Khashiyah, M. H., Aminah, I., & Jayprakash, P. (1991). Hymenopteran abundance and diversity from three altitudes at Gunung Janing Barat, Endau-Rompin, Malaysia. *Malayan Nature Journal*, 45(1), pp. 226–229.
- Tan, M. W., Kirton, L. G., & Kirton, C. G. (1992). Composition and distribution of butterflies in Rompin, Endau, especially along Sungai Kinchin and its vicinity. In S. K. Yap (Ed.), *Proceedings of the International Conference on Tropical Biodiversity*. Kuala Lumpur. pp. 193–212
- Tan, Y.-S., Desjardin, D. E., Perry, B. A., Sabaratnam, V., & Noorlidah, A. (2009). *Marasmius sensu stricto* in Peninsular Malaysia. *Fungal Diversity*, 37, 9–100.

- Taubert, F., Fischer, R., Groeneveld, J., Lehmann, S., Muller, M. S., Rodig, E., ... Huth, A. (2018). Global Patterns of Tropical Forest Fragmentation. *Nature*, 554(1), pp. 519–522.
- Taylor, C., Cadenhead, N., Lindenmayer, D. B., & Wintle, B. A. (2017). Improving the design of a conservation reserve for a critically endangered species. *PLoS ONE*, 12(1), pp. 1–14.
- Teo, T. M. (2015). Effectiveness of the oil palm pollinating weevil, *Elaeidobius kamerunicus*. *UTAR Agriculture Science Journal*, 1(4), pp. 40–43.
- Thapa, A., Wu, R., Hu, Y., Nie, Y., Singh, P. B., Khatiwada, J. R., ... Wei, F. (2018). Predicting the potential distribution of the endangered red panda across its entire range using MaxEnt modeling. *Ecology and Evolution*, 8, pp. 10542–10554.
- The REDD Desk. (2016). What is REDD +? *The REDD Desk*. Oxford, UK: Global Canopy. Retrieved from <https://theredddesk.org/what-redd>
- Thi, B. K., & Lee, S. S. (2014). Diversity of Macrofungi at Gunung Ledang Johor National Park. In Abdul Rauf Ambali, A. N. Bakar, F. Z. Mohd Yusof, H. R. Singh, & L. Tokiman (Eds.), *Gunung Ledang: Geology, Biodiversity and Socio-economic Environment*. Shah Alam: Penerbit Press: Universiti Teknologi Mara. pp. 85 - 94.
- Thomas, C. D., Cameron, A., Green, R. E., Bakkenes, M., Beaumont, L. J., Collingham, Y. C., ... Williams, S. E. (2004). Extinction risk from climate change. *Nature*, 427, pp. 145–148.
- Thomas, N., & Baker, N. (2016). Recent sighting records of five bat species from Gunung Arong, Johor, Peninsular Malaysia. *Southeast Asia Vertebrate Records*, pp. 67–71.
- Uddin, K., Murthy, M. S. R., Wahid, S. M., & Matin, M. A. (2016). Estimation of Soil Erosion Dynamics in the Koshi Basin Using GIS and Remote Sensing to Assess Priority Areas for Conservation. *PLoS ONE*, 11(3), pp. e0150494.
- UNDP. (2014). *Improving Connectivity in the Central Forest Spine (IC-CFS) Landscape*. Kuala Lumpur: United Nations Development Programme.
- UNEP. (2012). *Report Of The Ad Hoc Open-Ended Working Group On Review Of Implementation Of The Convention On The Work Of Its Fourth Meeting*. India: United Nations Environmental Programme
- United Nations. (1992). *Convention on biological diversity*. Geneva: United Nations

- USGS. (2018). *Landsat 8 Data Users Handbook*. Sioux Falls: US Department of Interior.
- Vaisvilas, F. (2015, July 3). Dragonfly drying up Lockport's future water needs. *Daily Southtown*. Retrieved from <https://www.chicagotribune.com/suburbs/daily-southtown/>
- van Gils, H., Conti, F., Ciaschetti, G., & Westinga, E. (2012). Fine resolution distribution modelling of endemics in Majella National Park , Central Italy. *Plant Biosystems*, 146(1), pp. 276–287.
- van Proosdij, A. S. J., Sosef, M. S. M., Wieringa, J. J., & Raes, N. (2016). Minimum required number of specimen records to develop accurate species distribution models. *Ecography*, 39, pp. 542–552.
- van Swaay, C., van Strien, A., Aghababian, K., Astrom, S., Botham, M., Brereton, T., ... Warren, M. (2015). *The European Butterfly Indicator for Grassland species: 1990-2007*. Netherlands: Butterfly Conservation Europe.
- Vasconcelos, S., Rodrigues, P., Palma, L., Mendes, L. F., Palminha, A., Catarino, L., & Beja, P. (2015). Through the eye of a butterfly: Assessing biodiversity impacts of cashew expansion in West Africa. *Biological Conservation*, 191(1), pp. 779–786.
- Vergara, C. H., & Fonseca-Buendía, P. (2012). Pollination of greenhouse tomatoes by the Mexican bumblebee *Bombus ephippiatus* (Hymenoptera: Apidae). *Journal of Pollination Ecology*, 7(4), pp. 285–291.
- Vijay, V., Pimm, S. L., Jenkins, C. N., & Smith, S. J. (2016). The Impacts of Oil Palm on Recent Deforestation and Biodiversity Loss. *PLoS ONE*, 11(7), pp. 1–19.
- Vincent, J. R., Carson, R. T., DeShazo, J. R., Schwabe, K. A., Ahmad, I., Chong, S. K., ... Potts, M. D. (2014). Tropical countries may be willing to pay more to protect their forests. *Proceedings of the National Academy of Sciences*, 111(28), pp. 10113–10118.
- Visser, M. E., & Both, C. (2005). Shifts in phenology due to global climate change: The need for a yardstick. *Proceedings of the Royal Society B: Biological Sciences*, 272, pp. 2561–2569.
- Wahlberg, N., Braby, M. F., Brower, A. V. Z., Jong, R. De, Pierce, N. E., Sperling, F. A. H., ... Zakharov, E. (2005). Synergistic effects of combining morphological and molecular data in resolving the phylogeny of butterflies and skippers. *Proceedings of the Royal Society B: Biological Sciences*, 272, pp. 1577–1586.



- Wallace, A. R. (1869). *The Malay Archipelago: The Land of the Orang-Utan, and the Bird of Paradise*. London: Macmillan and Co.
- Wang, X. Y., Huang, X. L., Jiang, L. Y., & Qiao, G. X. (2010). Predicting potential distribution of chestnut phylloxerid (Hemiptera : Phylloxeridae) based on GARP and Maxent ecological niche models. *Journal of Applied Entomology*, 134, pp. 45–54.
- Warren, D. L., Glor, R. E., & Turelli, M. (2010). ENMTools : a toolbox for comparative studies of environmental niche models. *Ecography*, 33, pp. 607–611.
- WCS. (2008). *Landscape Species Approach*. Bronx, NY: Wildlife Conservation Society.
- West, A. M., Evangelista, P. H., Jarnevich, C. S., Kumar, S., Swallow, A., Luizza, M. W., & Chignell, S. M. (2017). Using multi-date satellite imagery to monitor invasive grass species distribution in post-wildfire landscapes: An iterative, adaptable approach that employs open-source data and software. *International Journal of Applied Earth Observation and Geoinformation*, 59(1), pp. 135–146.
- Wietzke, A., Westphal, C., Gras, P., Kraft, M., Pfohl, K., Karlovsky, P., ... Smit, I. (2018). Insect pollination as a key factor for strawberry physiology and marketable fruit quality. *Agriculture, Ecosystems and Environment*, 258(1), pp. 197–204.
- Wiklund, C., & Friberg, M. (2008). Enemy-free space and habitat-specific host specialization in a butterfly. *Oecologia*, 157(2), pp. 287–294.
- Williams, J. M. R. (2016). *Evaluating Megaprojects : The Case Of Forest City In Johor , Malaysia*. Boston: Malaysia Sustainable Cities Program
- Wilson, C. D., Roberts, D., & Reid, N. (2011). Applying species distribution modelling to identify areas of high conservation value for endangered species: A case study using *Margaritifera margaritifera* (L.). *Biological Conservation*, 144(2), pp. 821–829.
- Wilson, J. J., Sing, K. W., & Sofian-Azirun, M. (2013). Building a DNA barcode reference library for the true butterflies (Lepidoptera) of Peninsula Malaysia: What about the subspecies? *PLoS ONE*, 8(11) pp. e79969
- Wilting, A., Cord, A., Hearn, A. J., Hesse, D., Mohamed, A., Traeholdt, C., ... Hofer, H. (2010). Modelling the species distribution of flat-headed cats (*Prionailurus*

- planiceps), an endangered South-East Asian small felid. *PLoS ONE*, 5(3), pp. e9612.
- Wisn, M. S., Hijmans, R. J., Li, J., Peterson, A. T., Graham, C. H., Guisan, A., ... Zimmermann, N. E. (2008). Effects of sample size on the performance of species distribution models. *Diversity and Distributions*, 14(5), pp. 763–773.
- Wong, K. M., Saw, L. G., & Kochummen, K. M. (1987). Some New and Interesting Plant Species from Ulu Endau, Johore, Malaysia. *Malayan Nature Journal*, 41, pp. 267–273.
- WWF. (2018). Mainstreaming Protected Areas. Retrieved from <http://www.wwf.org.my/>. Date accessed April 23, 2019
- Wynne, R. H., Oderwald, R. G., Reams, G. A., & Scrivani, J. A. (2000). Optical remote sensing for forest area estimation. *Journal of Forestry*, 98(5), pp. 31–36.
- Yee, X. Y., & Ahmad, N. (2017, May 8). Water projects in the works. *The Star*. Retrieved from <https://www.thestar.com.my/>
- Yi, Y. Jun, Cheng, X., Yang, Z. F., & Zhang, S. H. (2016). Maxent modeling for predicting the potential distribution of endangered medicinal plant (*H. riparia* Lour) in Yunnan, China. *Ecological Engineering*, 92, pp. 260–269.
- Yong, D. L., Lohman, D. J., Wee Gan, C., Qie, L., & Lim, S. L. H. (2012). Tropical butterfly communities on land-bridge islands in peninsular Malaysia. *Raffles Bulletin of Zoology*, 25(1), pp. 161–172.
- Yong, H. (2000). *Malaysian Butterflies - An Introduction* (4th ed.). Kuala Lumpur: Tropical Press Sdn Bhd.
- Young, N., Carter, L., & Evangelista, P. (2011). *A MaxEnt Model v.3.3.3e Tutorial (ArcGIS v10)*. Colorado: Colorado State University.
- Zaidi, M. I., Azman, S., & Noor-Aizan, M. N. (2009). Butterfly fauna (Lepidoptera: Rhopalocera) of Lubuk Tapah sector of Taman Negera Endau Rompin, Johor. *Serangga*, 14(1–2), pp. 49–65.
- Zaidi, M. I., Azman, S., Norela, S., & Poh, L. S. (2005). Butterfly (Lepidoptera: Rhopalocera) Fauna of Gunung Stong Forest Reserve. In S. Mohamad Ismail, D. Hj. Taha, A. S. Shafie, J. Md. Som, I. Faridah-Hanum, & A. Latiff (Eds.), *Taman Negeri Gunung Stong, Kelantan: Pengurusan, Persekitaran Fizikal, Biologi dan Sosio-Ekonomi*. Kuala Lumpur: Jabatan Perhutanan Semenanjung Malaysia.

- Zainol, W. N. Z. (2016). *Habitat Mapping and Species Distribution Modelling of the Endangered Bulloak Jewel Butterfly*. University of Southern Queensland: Ph.D. Thesis
- Zakaria, M. Z. (2019). *Diversity of Aquatic Insects at Several Water Bodies in Johor*. Universiti Tun Hussien Onn Malaysia: Master's Thesis
- Zamari Aris, N. A., Zakaria, N., & Arumugam, N. (2017). Diversity of Lepidoptera at R.E.A.C.H BioD Centre, Cameron Highlands, Malaysia. *Journal of Wildlife and Parks*, 32, pp. 41-55
- Zimmermann, N. E., Jr, T. C. E., Graham, C. H., Pearman, P. B., & Svenning, J. (2010). New trends in species distribution modelling. *Ecography*, 33(1), pp. 985–989.
- Zubi, F. (2018). Integrated land use planning information system ( I-Plan ) applications in urban planning and management. *IOP Conference Series: Earth and Environmental Science*, 169(012043), pp. 1–8.



PTTA UTHM  
PERPUSTAKAAN TUNKU TUN AMINAH